CYCLING CATALOG

JUNE 2023

pirellicycling.com

POWER IS NOTHING WITHOUT CONTROL™

COMPANY PROFILE	04
• Brand	06
• History & Numbers	07
• Racing DNA	08
• R&D know-how / sustainability	09
ROAD PRODUCT RANGE AND TECHNOLOGY	10
• Tech overview	12
• PZERO™ range	16
• Cinturato™ range	30
GRAVEL TECH & PRODUCT RANGE	34
• Tech overview	36
• Cinturato™ range	37
MTB TECH & PRODUCT RANGE	44
• Tech overview	46
• Scorpion™ range	50
URBAN TECH & PRODUCT RANGE	76
• Tech overview	79
• Angel™ Urban range	80
ACCESSORIES	83
• SmarTUBE	84
• RoadTUBE & SporTUBE	85
• Sealant	86
FULL RANGE RECAP - MODELS, VERSIONS, TECH AND SRP	88

COMPANY PROFILE



BRAND

UNDERSTANDING OUR HERITAGE MEANS LOOKING BACK TO MOVE FORWARD.

The history of our brand brings together technology, communication and culture.
Pirelli stands for technical breakthroughs which have influen ed entire sectors, creating an impressive volume of intellectual property.
Across many decades, our bold, sophisticated communication has stood out as being ground-breaking well beyond the boundaries of our industry, inspiring some of the best creative minds.
Our presence has marked the development of entire communities. All this means that Pirelli has been one of the dynamic catalysts for social and cultural changes in several countries.
Our revolutionary spirit is what prevents our organisation from standing still – and what constantly propels us toward a clear vision for the future.
Our Manifesto combines the clarity of a strong business ambition with the confiden e in our ability to extend our influen e well beyond our industry.

For over 150 years, Pirelli is known as an icon of technology and excellence in the Car, Moto, Cycling tyre business and beyond, across diverse cultures. The fame of the "PIRELLI" Brand also stems from its involvement in multiple activities beyond tyre manufacturing, as motorsport competition, multiple sports, its commitment to the arts and culture and its involvement in numerous initiatives for the community. All this makes our **Brand a crucial asset** – one which attracts consumers, and therefore contributes to the company's business performance and to our success in consolidating our status as the global leader in the high value segment.

HISTORY & NUMBERS

Pirelli was founded in Milan in 1872 and today stands as a global brand known for its cutting edge technology, high-end production excellence and passion for innovation that draws heavily on its Italian roots. It is among the world's major producers of tyres and associated services and the only one focused entirely on the Consumer tyre market, which includes tyres for cars, motorcycles and bicycles.

HEADQUARTER & WORLDWIDE R&D CENTER
OF EXCELLENCE
IN MILAN, ITALY
PRESENCE
IN **5** REGIONS

19 FACTORIES
IN
12 COUNTRIES

17,000
POINT OF SALES
IN
+160
COUNTRIES

RACING DNA

DRIVE INNOVATION IN
DESIGN, MODELING, MATERIALS, PROCESSES AND **TESTING**

F1
GLOBAL TYRE PARTNER
SINCE 2011

WRC
UNIQUE SUPPLIER
SINCE 2021

SBK
UNIQUE SUPPLIER
SINCE 2004

UCI WORLD TOUR TEAMS
OFFICIAL TYRE PARTNER
SINCE 2018

+350
COMPETITIONS
A YEAR

MORE THAN
115 YEARS PRESENCE
IN MOTORSPORT

R&D KNOW-HOW

~2,100
PEOPLE INVOLVED IN **R&D**
IN 11 COUNTRIES

ABOUT **6%** OF HIGH
VALUE REVENUES DEVOTED ON
AVERAGE TO R&D IN THE LAST YEARS

50
COOPERATION WITH
UNIVERSITIES

+6,700
PATENTS

COOPERATIONS WITH
PREMIUM **OEM PROJECTS**

OUTSOURCED PROJECTS IN
MATERIALS, PROCESSES
SOFTWARE AND ELECTRONICS

All of this has grown from a strong commitment to Research and Development based on an "Open Innovation" model. In 2020, **Pirelli's investment in R&D was equal to around 6% of its revenues from High Value products**, one of the **highest levels** among the world's major tyre producers. Pirelli boasts over 2,100 people engaged in R&D, located at its Milan headquarters and 12 local technology centres, and a **portfolio of more than 6,700 patents**. Pirelli has also established a series of R&D collaborations and Joint Development Agreements with external players such as suppliers, universities and car manufacturers. It has 50 collaboration projects with Universities, more than 20 Joint Development Agreements and collaborations with suppliers and a huge number of R&D collaborations with Premium car manufacturers in innovative technologies.

SUSTAINABILITY

-26%
WATER SPECIFIC WITHDRAWAL
VS 2015

-54%
ACCIDENT FREQUENCY INDEX
VS 2015

97%
WASTE SENT TO RECOVERY

-31%
PLANT CO2 ABSOLUTE
EMISSIONS VS 2015

52%
ELECTRICITY FROM
RENEWABLE SOURCES

58%
ECO&SAFETY PERFORMANCE
REVENUES

*Eco&Safety - Figure obtained by weighing the value of sales of Eco & Safety Performance tyres on the total value of sales of Group car tyres. Eco & Safety Performance products identify the car tyres that Pirelli produces throughout the world and that fall under rolling resistance and wet grip classes A, B, C according to the labelling parameters set by European legislation.

In 2020, the Company was reconfirmed as one of the **Global Leaders** in the fight again t climate change, gaining a place the **CDP's Climate A list**.
In the same year, Pirelli was the only Company in the Auto Components sector worldwide awarded the "Gold Class Distinction" in the **SAM Sustainability Yearbook 2020**, published by S&P Global. Both the **Dow Jones Sustainability Index** and the Sustainability Yearbook are based on **S&P Global's Corporate Sustainability Assessment**, which analyses the ESG performance of over 7,000 listed companies in over 60 different sectors.
The Company was recognized as an ESG Leader in the **FTSE4Good Index Series**, ranked at the top of the tyres and Consumer Goods sector.
World sustainability leader for the Automobiles & Components sector in the **Dow Jones Sustainability World and Europe Indexes**. The Company recorded an overall score of 84 points, against the industry average of 35 points.

ROAD TECH
& PRODUCT RANGE

P ZERO™

2023 Official Tyre Partner - Lidl-Trek | AG2R Citroën | Q36.5 Pro Cycling Team

ROAD COMPOUND OVERVIEW

SMARTEVO COMPOUND


The new SmartEVO Compound uses a blend with 3 different polymers, each of them providing specific performance qualities to achieve the optimal balance of opposing characteristics, such as grip and rolling resistance. Pirelli took advantage of the expertise developed in over a 100 years of compound development in Motorsport, always racing its products at the highest level in each discipline. This vast R&D knowledge, allowed Pirelli to create a ternary polymer blend with "**smart**" **performance characteristics** for bicycle tyres as the base of the outstanding properties of the SmartEVO Compound, resulting in a **better grip on dry and wet**, while also providing a **lower rolling resistance**.
Pirelli has created a performance compound designed and tuned for all the modern cycling road disciplines, from local or World Tour racing to epic adventures, where climate and road surfaces demand tyres that perform in all circumstances.

SMARTNET™ SILICA

PATENTED

Directly from its Motorsport expertizes, Pirelli introduced its fir t innovation in cycling compound technology: a particular Silica engineered at molecular level (elongated vs spherical) to enhance the energy efficie y of the tyre in many aspects. This proprietary technology allows for better interaction with other components which results in **increased overall performances** when compared to standard Silica compounds.

standard Silica



SmartNET™ Silica

The result is a tyre which combines:

- **high grip** on both dry and wet (handling)
- high **rolling efficiency** (speed)
- durability and puncture protection

EVO COMPOUND

The EVOCompound includes all those technical characteristics needed for an all-round performance: excellent rolling resistance and grip, good adhesion and long durability. As a result of the combination of these properties, the EVO compound has been optimized so to have the most balanced behaviour for the rider.

PRO COMPOUND

Long-lasting rubber mix compound, that provides high level of protection, mileage and great performances on wet.



ROAD CASING TECHNOLOGY

SPEEDCORE™ PATENT PENDING



A new tubeless construction for our high performance tyres: based on 120tpi Nylon and an innovative casing (patent pending), it is our fastest TLR technology to date. Derived from Pirelli know-how and the Made in Italy production process. The new SPEEDCORE™ carcass is a thin air-tight layer of rubber compound with aramid particles that covers the internal part of the tyre. The greatest fl xibility of the rubber compound makes the tyre faster and more supple, while the presence of the aramid allows for better puncture resistance. The carcass is completed by a 120tpi nylon fabric plus an anti-puncture aramind breaker.

TECHWALL ROAD



Lighter casing technology with an added layer of reinforcement to provide superior puncture protection within a **lightweight structure framework**, maximizing on overall flexibility of the structure: the same high penetration-resistant textile layer from bead to bead of the TechWALL+ provides **high puncture protection without compromising on rolling efficiency** and overall handling performances, keeping weight and rolling resistance down.

TECHBELT ROAD



High performing casing structure with an added layer of **high cut resistant fabric** underneath the tread to provide superior puncture protection in a wide variety of conditions. The combination of this layer and the carcass plies makes this tube type structure the **most efficient in terms of rolling resistance and weight**.

LITE ROAD



Light yet very fast tube type casing with 120tpi nylon fabric and no breaker under the tread pattern.

TECHLINER ROAD



State-of-the-art TLR casing technology with an inner rubber layer for maximum pressure retention.

TECHWALL+ ROAD



The same base structure of TechWALL with an high penetration-resistant textile layer from bead to bead of the TechWALL+ provides high puncture protection without compromising on rolling efficiency and overall handling performances, keeping weight and rolling resistance down.

armour tech™ PATENT PENDING



Another innovation straight from Motorsport expertize: Pirelli's focus has been to increase **puncture protection** of road racing bicycle tyres **to a whole new level** by using a proprietary method designed to make the rubber base of the tread to work as a spider's web to trap sharp objects, before they can contact the textile breaker underneath. This reduces the ability of objects to penetrate the whole structure of the tyre and so causing a puncture. This is possible thanks to the use of SmartNET™ Silica, which allows for high density of aramid particles at the base as well as high performances on the outer tread, so that high grip, handling, puncture protection and durability are provided.

P ZERO™ RACE TLR SL

RACING PERFORMANCE

SPEED

HANDLING

LIGHTWEIGHT

SMARTEVO COMPOUND


TECHWALL ROAD

TUBELESS READY



Pirelli engineers developed the P ZERO™ Race TLR SL with Professional riders needs in mind, enhancing performances even further. This lightweight and fast tyre is crafted to pack the key benefits of tubeless technology into a race-day product, emphasizing speed and handling and exceeding the performances of any other Pirelli bicycle tyre in that compartments, TT and lightweight tubulars included, without compromising too much on puncture protection thanks to the TechWALL casing technology.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ RACE *TLR* ***SL*** 26-622	19 C	3905500	127 tpi, TLR	TechWALL	245	SmartEVO
P ZERO™ RACE *TLR* ***SL*** 28-622	19 C	3927800	127 tpi, TLR	TechWALL	275	SmartEVO

P ZERO™ RACE TLR

PURE PERFORMANCE

MADE IN ITALY

PERFORMANCE

SPEED

GRIP

SMARTEVO COMPOUND


SPEEDCORE

TUBELESS READY



Pirelli introduces the new PZERO™ Race TLR with the aim of improving a product that is already widely used and appreciated on the market. Through the use of a new technical solution at the casing level, action has been taken on one of the most important parameters for bicycle tyres: rolling speed. This has led to the introduction of SPEEDCORE™ (patent-pending) technology, which involves the use of a layer of compound mixed with aramid that wraps around the inner layer of the tyre, allowing it to be airtight. This is the result of the “Made in Italy” quality and Pirelli’s experience.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race *TLR* 26-622	19 C	4149500	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622	19 C	4149600	120 tpi, TLR	SPEEDCore	295	SmartEVO
P ZERO™ Race *TLR* 30-622	21 C	3983700	120 tpi, TLR	SPEEDCore	315	SmartEVO
P ZERO™ Race *TLR* 32-622	21 C	4155300	120 tpi, TLR	SPEEDCore	335	SmartEVO
P ZERO™ Race *TLR* 35-622	23 C	4155400	120 tpi, TLR	SPEEDCore	355	SmartEVO
P ZERO™ Race *TLR* 40-622	23 C	4155500	120 tpi, TLR	SPEEDCore	375	SmartEVO
P ZERO™ Race *TLR* 26-622 *Classic*	19 C	3984200	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622 *Classic*	19 C	3984300	120 tpi, TLR	SPEEDCore	295	SmartEVO
P ZERO™ Race *TLR* 30-622 *Classic*	21 C	4329500	120 tpi, TLR	SPEEDCore	315	SmartEVO

Classic = TAN Sidewall

P ZERO™ RACE
PURE PERFORMANCE

MADE IN ITALY

HANDLING

SPEED

GRIP


SMARTEVO COMPOUND

TECHBELT ROAD



The P ZERO™ Race is crafted to pack all the benefits of tube type technology into a race-ready all-rounder which outperforms all cycling clinchers that we have created before, tubulars included. After three years of development working with the fastest racers at the World Tour level, Pirelli designed this new tube type tyre with the new SmartEVO compound and the TechBELT casing technology to provide our Professional riders, as well as all cycling enthusiasts, with a superior product!

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race 26-622	19 C	4149700	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622	19 C	4149800	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 30-622	21 C	4076400	127 tpi, tube	TechBELT	250	SmartEVO
P ZERO™ Race 26-622 *Classic*	19 C	4113800	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 *Classic*	19 C	4113900	127 tpi, tube	TechBELT	230	SmartEVO

Classic = TAN Sidewall

P ZERO™ RACE
COLOUR EDITION



Tubeless ready MADE IN ITALY

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race *TLR* 26-622 Red	19 C	4204300	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622 Red	19 C	4204600	120 tpi, TLR	SPEEDCore	295	SmartEVO
P ZERO™ Race *TLR* 26-622 White	19 C	4204200	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622 White	19 C	4204500	120 tpi, TLR	SPEEDCore	295	SmartEVO
P ZERO™ Race *TLR* 26-622 Yellow	19 C	4204100	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622 Yellow	19 C	4204400	120 tpi, TLR	SPEEDCore	295	SmartEVO
P ZERO™ Race *TLR* 26-622 Gold	19 C	4416500	120 tpi, TLR	SPEEDCore	275	SmartEVO
P ZERO™ Race *TLR* 28-622 Gold	19 C	4416600	120 tpi, TLR	SPEEDCore	295	SmartEVO

Tube type

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race 26-622 Gold	19 C	4119600	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Gold	19 C	4119700	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Celeste	19 C	4119800	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Celeste	19 C	4119900	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Pink	19 C	4120000	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Pink	19 C	4120100	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Turchese	19 C	4285100	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Turchese	19 C	4285200	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Yellow	19 C	4196300	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Yellow	19 C	4196400	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Red	19 C	4196500	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Red	19 C	4196600	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 White	19 C	4196700	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 White	19 C	4196800	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Lime	19 C	4297500	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Lime	19 C	4297600	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Orange	19 C	4297700	127 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Orange	19 C	4297800	127 tpi, tube	TechBELT	230	SmartEVO
P ZERO™ Race 26-622 Fucsia	19 C	4297900	128 tpi, tube	TechBELT	210	SmartEVO
P ZERO™ Race 28-622 Fucsia	19 C	4298000	129 tpi, tube	TechBELT	230	SmartEVO



P ZERO™ RACE TLR 4S

ALL WEATHER PERFORMANCE

MADE IN ITALY

4 SEASON

HANDLING

GRIP

SMARTNET™ SILICA

SPEEDCORE™


TUBELESS READY



The P ZERO™ Race TLR 4S has the fundamental characteristics of a year-round racing tyre: it offers consistent grip performance in all types of weather, including wet and cold days and provides the racing feel that makes the P ZERO™ Race range the preferred choice of professional cyclists.
Exceptional performance is achieved through the SPEEDCORE™ tubeless technology and SmartNET™ Silica compound. The former being the latest evolution in Pirelli's casing constructions, while the latter being the best formulation for wet and chemical grip.
The casing is then completed by a 120tpi nylon casing and and nylon breaker to increase puncture protection.
The overall result is then a tyre which provides more wet grip, durability and puncture resistance especially in wet conditions.



DETAILS



APPLICATIONS

TT	Performance	Endurance	Light gravel	Gravel

SEASONALITY (☼ & ☂)

Spring	Summer	Autumn	Winter

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race *4S TLR* 28-622	19 C	4203500	120 tpi, TLR	SPEEDCore	330	SmartNET Silica
P ZERO™ Race *4S TLR* 30-622	21 C	4203600	120 tpi, TLR	SPEEDCore	365	SmartNET Silica
P ZERO™ Race *4S TLR* 32-622	21 C	4203700	120 tpi, TLR	SPEEDCore	395	SmartNET Silica


SCOTT
SRAM

P ZERO™ RACE 4S

ALL WEATHER PERFORMANCE



4 SEASON

HANDLING


GRIP

SMARTEVO COMPOUND

TECHBELT ROAD

The new PZERO™ Race 4S features the core characteristics **of an all-year racing tyre**: it delivers consistent grip performance in all kinds of weather, including wet and cold days and provides the racing feeling that makes the P ZERO™ Race range the favourite choice of professional cyclists. The outstanding all-weather performance is obtained by the combination of two enhanced technical features: the **SmartEVO compound**, the latest evolution of Pirelli's road specific formulations, and the **TechBELT Road**, a tube-type casing made of a 120tpi carcass and a Nylon breaker. The tyre also features a new tread design with **special deep sipes** paired with **a thicker overall tread depth** resulting in improved grip in cold weather, more mileage and better puncture protection. All the special features of the new P ZERO™ Race 4S are **skillfully crafted in Italy** providing unique quality and superior performance.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race *4S* 26-622	19 C	4203200	127 tpi, tube	TechBELT	240	SmartEVO
P ZERO™ Race *4S* 28-622	19 C	4203300	127 tpi, tube	TechBELT	260	SmartEVO
P ZERO™ Race *4S* 30-622	19 C	4203400	127 tpi, tube	TechBELT	280	SmartEVO

P ZERO™ RACE TT

PURE SPEED

MADE IN ITALY



SPEED

LIGHTWEIGHT

REACTIVENESS


SMARTEVO COMPOUND

LITE

TUBETYPE

The **PZERO™ Race TT** is a niche product that has been specifically requested by and developed for our World Tour Teams for time trial races and/or triathlon. It features a **light yet fast tube type casing with 120tpi** nylon fabric and no breaker under the tread pattern. This time trial version keeps Pirelli most advanced compound, the SmartEVO, in order to provide the highest performance. The result is a 20% faster and 5% lighter tyre which is **best performing when coupled with our PZERO™ SmarTUBE**.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ RACE *TT* 26-622	19 C	4308600	120 tpi, tube type	LITE	200	SmartEVO
P ZERO™ RACE *TT* 28-622	19 C	4319000	120 tpi, tube type	LITE	215	SmartEVO

P ZERO™ RACE TUB SL
LIGHTWEIGHT PERFORMANCE

LIGHTWEIGHT
SPEED
HANDLING


SMARTEVO COMPOUND
TECHBELT ROAD




P ZERO™ Race Tub SL is the result of the endless process of research and development, a racing tubular that has the same speed and handling performances of his predecessor, but lighter. Pirelli obtained the same performances offered by a standard latex tube and a record-breaking weight (275g) using an innovative inner tube, giving the athletes an unexpected advantage.
P ZERO™ Race Tub SL sets a new standard for racing tubulars, both for World Tour athletes and amateurs.

- 320tpi Corespun carcass
- SmartEVO Compound
- Excellent grip and rolling resistance in every weather condition
- Complete air tightness

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Race *TUB* ***SL*** 26-28''	-	4076500	320 tpi, tubular	TechBELT	280	SmartEVO
ALSO AVAILABLE WITH LATEX INNER TUBE:						
P ZERO™ Velo *TUB* 25-28''	-	3605300	320 tpi, tubular	TechBELT	310	YellowSOFT
P ZERO™ Velo *TUB* 28- 28''	-	3605400	320 tpi, tubular	TechBELT	335	YellowSOFT

P ZERO™ ROAD TLR
ALL ROUND PERFORMANCE


HANDLING
COMFORT
PROTECTION


EVO COMPOUND
TECHLINER ROAD
TUBELESS READY



The most complete and versatile tyre in its range, now with TLR technology.
The **P ZERO™ ROAD TLR** is intended to be the perfect solution for cyclists who are looking for a more balanced and all-round performance focused on endurance. Used as a training tyre by our professional riders, **P ZERO™ ROAD TLR** is the perfect compromise between speed and comfort and protection. An all-in-one product to accompany you on all your rides.
The technology behind P ZERO™ ROAD TLR is the innovative TechLINER casing, a 120 TPI casing coupled with a rubber liner for better pressure retention, this coupled with the amazing grip and control of the Evo compound, allows for smooth reliable performance.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
PZERO™ Road *TLR* 28-622	19 C	4114300	120tpi, TLR	TechLINER	340	Evo Compound
PZERO™ Road *TLR* 30-622	19 C	4114400	120tpi, TLR	TechLINER	370	Evo Compound
PZERO™ Road *TLR* 32-622	21 C	4155200	120tpi, TLR	TechLINER	400	Evo Compound
PZERO™ Road *TLR* 35-622	23 C	4292900	120tpi, TLR	TechLINER	430	Evo Compound

P ZERO™ ROAD

ALL ROUND PERFORMANCE

HANDLING

COMFORT

PROTECTION


EVO COMPOUND


TECHBELT ROAD



Pirelli widens the P ZERO™ family by introducing the most comprehensive and all-round tyre in its portfolio. The P ZERO™ ROAD aims to be the perfect solution for those riders who are looking for the most balanced performance.
It has been specifically developed as a training tyre for the fastest racers at the World Tour level. Pirelli designed this new tube type tyre with Evo compound and TechBELT casing technology to give great puncture protection, reliability and comfort at light weight.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P ZERO™ Road 24-622	17 C	4021100	127 tpi, tube	TechBELT	215	EVO Compound
P ZERO™ Road 26-622	17 C	3984800	127 tpi, tube	TechBELT	235	EVO Compound
P ZERO™ Road 28-622	17 C	3984900	127 tpi, tube	TechBELT	255	EVO Compound

P7™ SPORT

ALL-ROUND CONTROL

PROTECTION

MILEAGE

GRIP


PRO COMPOUND


TECHBELT ROAD



Pirelli expands its road offering by introducing the P7™Sport, a product for those who choose riding for leisure & fitne s rather than chasing KOMs with a performance focus. Developed with the intent of lasting longer than our racing products but giving the same confident feeling, it provides a greater level of mileage and excellent grip. The new P7™Sport is the perfect training tyre for the racers or the ideal buy-and-forget product for the average consumer, built around reliability and durability.
Designed with 60tpi TechBELT casing technology, it is also available in wider sizes such as 32mm and it is designed around wider modern rims, for even more confort.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
P7™ SPORT 24-622	17 C	4021700	60 tpi, tube	TechBELT	250	Pro Compound
P7™ SPORT 26-622	19 C	4021800	60 tpi, tube	TechBELT	280	Pro Compound
P7™ SPORT 28-622	19 C	4021900	60 tpi, tube	TechBELT	310	Pro Compound
P7™ SPORT 32-622	21 C	4022000	60 tpi, tube	TechBELT	340	Pro Compound


Cinturato by VELO

Cinturato™ VELO

PURE PROTECTION

PROTECTION

COMFORT

GRIP

SMARTNET™ SILICA

armour tech™


TUBELESS READY

Reflective



Crafted around protection and comfort, without compromising performances, this tyre is either tube type and tubeless-ready compatible with ease. Pirelli's SmartNET™ Silica and Armour Tech™ technologies created a tyre perfect for long-distances and various terrains.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ *Velo* 26-622	15 C	3370700	60 tpi, tube & TLR	Armour Tech™	300	SmartNET™ Silica
Cinturato™ *Velo* 28-622	17 C	3370800	60 tpi, tube & TLR	Armour Tech™	340	SmartNET™ Silica
Cinturato™ *Velo* 32-622	19 C	3370900	60 tpi, tube & TLR	Armour Tech™	360	SmartNET™ Silica
Cinturato™ *Velo* 35-622	19 C	3371000	60 tpi, tube & TLR	Armour Tech™	410	SmartNET™ Silica
Cinturato™ *Velo* 26-622 *Classic*	15 C	4043200	60 tpi, tube & TLR	Armour Tech™	310	SmartNET™ Silica
Cinturato™ *Velo* 28-622 *Classic*	17 C	4043300	60 tpi, tube & TLR	Armour Tech™	350	SmartNET™ Silica
Cinturato™ *Velo* 28-622 *Reflective*	17 C	4043400	60 tpi, tube & TLR	Armour Tech™	350	SmartNET™ Silica
Cinturato™ *Velo* 32-622 *Reflective*	19 C	4043500	60 tpi, tube & TLR	Armour Tech™	370	SmartNET™ Silica
Cinturato™ *Velo* 35-622 *Reflective*	19 C	4043600	60 tpi, tube & TLR	Armour Tech™	420	SmartNET™ Silica

Classic = TAN Sidewall

Cinturato™ ROAD

ALL-ROUND PROTECTION

MADE IN ITALY

PROTECTION

MILEAGE

GRIP

SMARTNET™ SILICA


TECHWALL+ ROAD



Crafted to offer **maximum protection and comfort**, for longer lasting performance in various riding conditions, from leisure weekend rides to fast urban commuting. Pirelli combines its advanced developments in compound and construction technology, **SmartNET™ Silica** and tube-type **TechWALL+™**, resulting in a product which is as reliable and comfortable as it is versatile, for both long-distances and/or various terrains.

Cinturato Road is your next choice for daily riding, whatever it means to you.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ Road 26-622	15 C	4356800	60tpi	TechWALL+	300	Smartnet Silica
Cinturato™ Road 28-622	17 C	4356700	60tpi	TechWALL+	330	Smartnet Silica
Cinturato™ Road 32-622	19 C	4356600	60tpi	TechWALL+	350	Smartnet Silica
Cinturato™ Road 35-622	19 C	4356500	60tpi	TechWALL+	370	Smartnet Silica

GRAVEL TECH
& PRODUCT RANGE

Cinturato™ GRAVEL

2023 Official yre Partner - Enough Cycling Collective

GRAVEL TECH OVERVIEW

SPEEDGRIP COMPOUND

Pirelli has created a proprietary rubber compound that allows for better performance and energy management with less effort whether riding on tarmac, gravel or more aggressive terrain.
The SpeedGRIP Compound retains the same durability as its MTB counterpart (SmartGRIP) as well as its **high wet grip**, with a more efficien energy management **decreasing the rolling resistance** to a level very close to pure road racing tyres. This high-tech rubber compound is the product of experience gleaned from the off- oad racing circuits monitored by Pirelli all over the world, both for 2 and 4 wheels.

The result is a compound with two diametrically opposed characteristics:

- tear resistance: maximum mechanical grip in dry conditions with a higher puncture protection and durability
- chemical grip: feel in control on any wet surface and weather condition, on and off the oad

PRO COMPOUND GRAVEL

ProCompound Gravel features a mixture of polymers that are maximized in a single compound layer to provide **grip, traction and durability** for **consistent and extended mileage**. This formulation is at its best when the gravel application requires both good speed and off-road riding skills, especially when bikepacking.

TECHWALL GRAVEL

Combining both armour tech™ know-how as well as the properties developed for off-road MTB application, Pirelli has created a casing using components and construction that combine features that help resist damage whether from penetration by sharp objects or stones: an added layer of highly cut-resistant material is added from bead to bead in order to provide high cut protection without compromising on rolling efficiency and overall handling performances, whether it is for light gravel or pure off-road applications.

TECHWALL GRAVEL XC

60tpi tubeless-ready gravel-specific casing with more overlap area and an additional bead-to-bead anti-puncture fabric.

PROWALL GRAVEL

Tough and fast casing derived from MTB technology, features a multi-ply 60tpi Nylon layer with added protective sidewall reinforcement technology.

Cinturato™ GRAVEL RC

RACING PERFORMANCE

SPEEDGRIP COMPOUND · TECHWALL GRAVEL · TUBELESS READY



From road to off- oad Pirelli's racing commitment is never in doubt when it comes performance. With a new specific design, derived from our iconic Scorpion™ XC RC, the **Cinturato™ Gravel RC** is the answer to all those gravel racing requirements: **fast on the straights**, thanks to a minimal central line knobs, and **aggressive on the corners**, with higher and more substantial knobs to support handling when cornering. Featuring our TechWALL tubeless casing construction, it comes with a reinforced and cut-resistant **60tpi fabric** together with a **bead-to-bead protection layer**.
The **Cinturato™ Gravel RC** is designed for the **most demanding gravel courses** for riders seeking the best performances in all racing conditions.

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



SpeedGRIP Compound formulation for on-&-off- oad rolling efficie y coupled with high tear resistance and high wet grip.

TechWALL High-strength woven Nylon fabric from bead to bead for added cut and puncture protection

Multi-ply **60tpi Nylon** casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ GRAVEL ***RC*** 35-622 *Classic*	23 C	4216400	60 tpi, TLR	TechWALL	510	SPEEDGRIP
Cinturato™ GRAVEL ***RC*** 40-622	23 C	4216200	60 tpi, TLR	TechWALL	540	SPEEDGRIP
Cinturato™ GRAVEL ***RC*** 40-622 *Classic*	23 C	4216000	60 tpi, TLR	TechWALL	540	SPEEDGRIP

Classic = TAN Sidewall

Cinturato™ GRAVEL RC X
RACING PERFORMANCE

SPEEDGRIP COMPOUND

TECHWALL GRAVEL X

TUBELESS READY



Using the same tread design from the **Cinturato™ Gravel RC**, the **Cinturato™ Gravel RC X** is the answer to all gravel racing requirements on rougher terrains: **fast on the straights**, thanks to a minimal central line knobs, and **aggressive on the corners**, with higher and more substantial knobs to support handling when cornering. Our new **TechWALL X** tubeless casing construction features a **reinforced and cut-resistant 60tpi fabric made longer** to extend past the tread line, offering even more sidewall protection on top of the already present **bead-to-bead protection layer**.

The Cinturato™ Gravel RC X is designed for the most demanding gravel courses for riders seeking the best performances in all racing conditions.

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



SpeedGRIP Compound formulation for on-&-off- oad rolling efficie y coupled with high tear resistance and high wet grip.

TechWALL *X* High-strength woven Nylon fabric from bead to bead for added cut and puncture protection

Multi-ply **60tpi Nylon** casing construction, with longer overlap on the sidewall

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ GRAVEL ***RCX*** 35-622 *Classic*	23 C	4333000	60 tpi, TLR	TechWALL X	480	SpeedGRIP
Cinturato™ GRAVEL ***RCX*** 40-622	23 C	4309300	60 tpi, TLR	TechWALL X	560	SpeedGRIP
Cinturato™ GRAVEL ***RCX*** 40-622 *Classic*	23 C	4332800	60 tpi, TLR	TechWALL X	560	SpeedGRIP


Classic = TAN Sidewall

Cinturato™ GRAVEL H
UNSTOPPABLE PERFORMANCE

SPEEDGRIP COMPOUND

TECHWALL GRAVEL

TUBELESS READY





Low profile and compact tread spacing for riding quickly and confidently over any kind of hardpack terrain, whether for **dry** or **wet**.

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



SpeedGRIP Compound formulation for on-&-off- oad rolling efficie y coupled with high tear resistance and high wet grip.

TechWALL High-strength woven Nylon fabric from bead to bead for added cut and puncture protection

Multi-ply 127tpi Nylon casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

Specific yclocross development of 33-622 size: tailor developed tread design engineering



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ CROSS ***H*** 33-622	21 C	3770500	127 tpi, TLR	TechWALL	390	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 35-622	21 C	3770900	127 tpi, TLR	TechWALL	435	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 40-622	23 C	3771100	127 tpi, TLR	TechWALL	485	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 45-584	23 C	3771300	127 tpi, TLR	TechWALL	525	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 45-622	23 C	3833900	127 tpi, TLR	TechWALL	540	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 35-622 *Classic*	21 C	3770700	127 tpi, TLR	TechWALL	435	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 40-622 *Classic*	23 C	3874500	127 tpi, TLR	TechWALL	505	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 45-584 *Classic*	23 C	3874600	127 tpi, TLR	TechWALL	550	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 45-622 *Classic*	23 C	3832500	127 tpi, TLR	TechWALL	590	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 50-584 *Classic*	23 C	3874400	127 tpi, TLR	TechWALL	640	SPEEDGRIP
Cinturato™ GRAVEL ***H*** 50-622 *Classic*	23 C	3929800	127 tpi, TLR	TechWALL	670	SPEEDGRIP

Classic = TAN sidewall

Cinturato™ GRAVEL M


UNSTOPPABLE PERFORMANCE

SPEEDGRIP COMPOUND

TECHWALL GRAVEL

TUBELESS READY





GRAVEL M

CROSS M

Medium profile and tread spacing for riding quickly and confidently over a **mixed** variety of **terrains**, from hard to soft, whether for **dry** or **wet**.

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



SpeedGRIP Compound formulation for on-&-off- oad rolling efficie y coupled with high tear resistance and high wet grip.

TechWALL High-strength woven Nylon fabric from bead to bead for added cut and puncture protection

Multi-ply 127tpi Nylon casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

Specific yclocross development of 33-622 size: tailor developed tread design engineering



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ CROSS *M* 33-622	21 C	3770600	127 tpi, TLR	TechWALL	400	SPEEDGRIP
Cinturato™ GRAVEL *M* 35-622	21 C	3771000	127 tpi, TLR	TechWALL	445	SPEEDGRIP
Cinturato™ GRAVEL *M* 40-622	23 C	3771200	127 tpi, TLR	TechWALL	510	SPEEDGRIP
Cinturato™ GRAVEL *M* 45-584	23 C	3771400	127 tpi, TLR	TechWALL	535	SPEEDGRIP
Cinturato™ GRAVEL *M* 45-622	23 C	3834000	127 tpi, TLR	TechWALL	570	SPEEDGRIP
Cinturato™ GRAVEL *M* 35-622 *Classic*	21 C	3770800	127 tpi, TLR	TechWALL	460	SPEEDGRIP
Cinturato™ GRAVEL *M* 40-622 *Classic*	23 C	3833000	127 tpi, TLR	TechWALL	510	SPEEDGRIP
Cinturato™ GRAVEL *M* 45-584 *Classic*	23 C	3833200	127 tpi, TLR	TechWALL	570	SPEEDGRIP
Cinturato™ GRAVEL *M* 45-622 *Classic*	23 C	3832600	127 tpi, TLR	TechWALL	630	SPEEDGRIP
Cinturato™ GRAVEL *M* 50-584 *Classic*	23 C	3832800	127 tpi, TLR	TechWALL	675	SPEEDGRIP
Cinturato™ GRAVEL *M* 50-622 *Classic*	23 C	3929900	127 tpi, TLR	TechWALL	705	SPEEDGRIP

Classic = TAN Sidewall

Cinturato™ GRAVEL S

GRIP AND CONTROL

SPEEDGRIP COMPOUND

TECHWALL GRAVEL

TUBELESS READY



Cinturato™ Gravel S is the gravel tyre for soft and muddy terrain, it is a versatile model that delivers a safe cycling experience in **adverse weather conditions** and on **technical tracks**, at the very limit with mountain biking. Cinturato™ Gravel S is the suggested model for those looking for a reliable tyre which is easy to control and safe in every condition. **Grip and safety** are prioritized rather than the pure speed of racing-specific models

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



SpeedGRIP Compound formulation for on-&-off-road rolling effciency coupled with high tear resistance and high wet grip.

TechWALL High-strength woven Nylon fabric from bead to bead for added cut and puncture protection

Multi-ply **60tpi Nylon** casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ GRAVEL **S** 40-622	23 C	4161800	60 tpi, TLR	TechWALL	540	SPEEDGRIP
Cinturato™ GRAVEL **S** 45-622	23 C	4161900	60 tpi, TLR	TechWALL	570	SPEEDGRIP
Cinturato™ GRAVEL **S** 40-622 *Classic*	23 C	4162100	60 tpi, TLR	TechWALL	540	SPEEDGRIP
Cinturato™ GRAVEL **S** 45-622 *Classic*	23 C	4162200	60 tpi, TLR	TechWALL	570	SPEEDGRIP
Cinturato™ GRAVEL **S** 50-622 *Classic*	23 C	4162300	60 tpi, TLR	TechWALL	600	SPEEDGRIP

Cinturato™ ALL ROAD

SMOOTH AND FAST RIDING

PRO COMPOUND GRAVEL

PROWALL GRAVEL

TUBELESS READY



The Cinturato™ All Road is the gravel choice when **tarmac**, **hardpack trails** or **light gravel** are on your way. Featuring a **reinforced and sturdy tubeless-ready 60tpi carcass** with added protective side wall reinforcement designed to resist lateral cuts on different surfaces. A slick central line encourages fast and smooth riding on tarmac and pavement. **Progressively higher small paddle-knobs** are designed to provide solid traction on light gravel, while more aggressive and solid knobs built for cornering confiden e when leaning, derived from our Scorpion™ range. All coupled with the **ProCompound Gravel**, a mix of polymers developed for extended mileage. The combination of the tread design together with the compound prioritizes **traction and grip** for quick riding on any surface either in town or countryside.

■ INTENDED USE

▒ POSSIBLE USE

□ NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



ProCompound Gravel formulation to provide consistent and extended mileage

ProWALL Gravel Multi-ply 60tpi Nylon with added protective sidewall reinforcement technology

Multi-ply **60tpi Nylon** casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ All Road 35-622	23 C	4190200	60 tpi, TLR	ProWALL Gravel	490	Pro Compound
Cinturato™ All Road 40-622	23 C	4190300	60 tpi, TLR	ProWALL Gravel	540	Pro Compound
Cinturato™ All Road 45-622	23 C	4190400	60 tpi, TLR	ProWALL Gravel	590	Pro Compound
Cinturato™ All Road 50-584	23 C	4190500	60 tpi, TLR	ProWALL Gravel	640	Pro Compound
Cinturato™ Al Road 50-622	23 C	4329900	60 tpi, TLR	ProWALL Gravel	720	Pro Compound
Cinturato™ All Road 35-622 *Classic*	23 C	4161400	60 tpi, TLR	ProWALL Gravel	490	Pro Compound
Cinturato™ All Road 40-622 *Classic*	23 C	4161500	60 tpi, TLR	ProWALL Gravel	540	Pro Compound
Cinturato™ All Road 45-622 *Classic*	23 C	4161600	60 tpi, TLR	ProWALL Gravel	590	Pro Compound
Cinturato™ All Road 50-622 *Classic*	23 C	4329800	60 tpi, TLR	ProWALL Gravel	720	Pro Compound

Classic = TAN sidewall

Cinturato™ ADVENTURE

FREE TO RIDE EVERYWHERE

PRO COMPOUND GRAVEL

PROWALL GRAVEL

TUBELESS READY



Built to cover a wide range of conditions, the Cinturato™ Adventure aims to be the perfect travel companion for your **bike-packing adventures**. Featuring a **reinforced and sturdy tubeless-ready 60tpi carcass** with added protective side wall reinforcement designed to resist lateral cuts on different surfaces. Lighter on the central part and more aggressive on the shoulder, the knobs are off-road oriented to guarantee rider support from light gravel to extensive trips. All coupled with the **ProCompound Gravel**, a mix of polymers developed for extended mileage. The combination of the tread design together with the compound prioritizes traction and grip on different surfaces designed to allow the rider to go anywhere.

■ INTENDED USE

▒ POSSIBLE USE

□ NOT INTENDED USE

Best suited for DRY & WET

Hardpack	Rocky	Mixed	Loose	Soft soil

DETAILS



ProCompound Gravel formulation to provide consistent and extended mileage

ProWALL Gravel Multi-ply 60tpi Nylon with added protective sidewall reinforcement technology

Multi-ply **60tpi Nylon** casing construction

TLR tubeless-ready aramid folding bead optimized for wide rims and lower pressure riding

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Cinturato™ Adventure 35-622 *Classic*	23 C	4190800	60 tpi, TLR	ProWALL Gravel	500	Pro Compound
Cinturato™ Adventure 40-622	23 C	4161700	60 tpi, TLR	ProWALL Gravel	550	Pro Compound
Cinturato™ Adventure 40-622 *Classic*	23 C	4190600	60 tpi, TLR	ProWALL Gravel	600	Pro Compound
Cinturato™ Adventure 45-622	23 C	4190900	60 tpi, TLR	ProWALL Gravel	550	Pro Compound
Cinturato™ Adventure 45-622 *Classic*	23 C	4190700	60 tpi, TLR	ProWALL Gravel	600	Pro Compound
Cinturato™ Adventure 50-622 *Classic*	23 C	4329600	60 tpi, TLR	ProWALL Gravel	720	Pro Compound
Cinturato™ Adventure 50-622	23 C	4329700	60 tpi, TLR	ProWALL Gravel	720	Pro Compound
Cinturato™ Adventure 50-584	23 C	4191000	60 tpi, TLR	ProWALL Gravel	640	Pro Compound

Classic = TAN sidewall

MTB TECH
& PRODUCT RANGE

SCORPION™

2023 Official yre Partner | BMC MTB Racing Team | Canyon CLLTV Pirelli Team
Trek Factory Racing Team | Wilier - Pirelli Factory Team

SCORPION FAMILY RANGE



5 unique tread patterns for every terrain condition, from H (hardpack) to S (loose and soft) developed to offer a full range of **performing tyres for your daily cross country riding**. Ranging from pure racing application where speed and grip matter the most, down to leisurely and relaxed riding. The Scorpion™ XC takes advantage of the SmartGRIP compound and the LITE or reinforced ProWALL casing constructions.



4 unique tread patterns for any terrain condition, from H (hardpack) to S (loose and soft) developed to offer a complete range of performing tyres for trail riding. The Scorpion™ Trail range **covers every terrain & condition** you are going to face, on your local trails or on your next adventure trip to the mountains. Scorpion™ Trail offers **great reliability and long-lasting performance**, so that you can focus on your riding forgetting about the equipment.



3 different tread patterns for any terrain condition, offering a full range of performing tyres for daily abuse on the trails. All the patterns are available in 2 constructions: **ProWALL**, lighter and more agile, or **HardWALL**, more reinforced and supportive, choosing also between **SmartGRIP Compound** or **SmartGRIP Gravity**, depending on the grip level needed. Both set-ups deliver specific performance characteristics lasting for the entire lifespan of the tyre, even when worn down.



3 unique tread patterns: M, R and S designed to offer a full range of E-MTB specific products. Featuring the **innovative and patent pending HyperWALL™** construction, the riding quality and reliability has evolved to a superior level. The new SmartGRIP Gravity Compound, allows to have a softer durometer, keeping an high strength for the heavier loads and torques specific to E-MTB. Granting **better performances and longer lifespan** of the tyre.



Developed in collaboration with multi-time Downhill World Champion Fabien Barel. Featuring the new super-soft SmartEVO DH compound, derived from Pirelli Motorsport and fine-tuned to provide maximum grip and control in all conditions. 4 new tread patterns one for every riding condition, M, T, S and Mud a tread specific for loose terrain and deep mud. All patterns are offered in 2 constructions: Dualwall for Enduro, where suppleness and reliability are the targets, and DuallWall+ for DH, where extreme support in compression and impact absorption are essential.



2 tread patterns for different terrain conditions, H & M developed to offer a full range of all-round tyres for your daily cross country riding. Offering balanced and predictable riding, the Scorpion™ Sport XC takes advantage of the double polymer ProCOMPOUND which delivers consistent and long lasting performance for high mileage, coupled with ProWALL casing construction offering the adequate protection.

MTB COMPOUND TECH



The SmartGRIP Compound is the optimal mix of performance and reliability, as proven by the several victories and podiums from World Cup to Cape Epic. It is the fastest compound in the Pirelli MTB offer, keeping an high chemical grip on wet terrain, for unconditional riding in any kind of weather. The experience of Pirelli engineers allowed to maintain at the same time the highest tear resistance of the range, for the maximum mechanical grip and resistance against punctures. Furthermore, the single compound formulation allows to achieve the most consistent performances throughout the entire lifespan of the tyre even when the knobs start to wear off.



The SmartGRIP Gravity Compound has an innovative formulation that allows to maintain the very high tear resistance of SmartGRIP, being at the same time more devoted to grip and damping. Therefore, it is the optimal solution for aggressive trail and enduro riding, even with E-MTB.
Thank to the addition of the Lignin, both an innovative and environmental friendly material obtained in the paper production process and developed by Pirelli material department, the durometer of SmartGRIP Gravity is lower than SmartGRIP without affecting its strength.



The SmartEVO DH has been developed with racing application in mind. It provides superb grip and confiden e in the toughest conditions, even on the most demanding tracks. Both the static and the dynamic parameters have been adjusted for an increased safety and control feeling while breaking and leaning. The key element of the SmartEVO DH is the combination of two layers of rubber compounds: on the outside there is a supersoft high-performing compound while inside the knobs, there is a dampening compound which provides support and shock absorption. The two compounds work seamlessly together giving the rider a feeling of handling, quickness and precision at extreme lateral loads typical of the downhill racing riding style. The SmartEVO DH has been tuned keeping also in mind that rolling resistance is still a key factor when competing against the clock.



Base compound construction for a uniform behavior and handling, with still great grip, confort and mileage given by the outer rubber.

CASING TECH OVERVIEW

LITE

Application:
XC Racing

It's a lightweight and supple casing which maximises speed, handling and riding feeling. The LITE construction is made up of 120tpi nylon casing without extra sidewall protection. It is specificall designed for cross-country application and for the lightest bikers.

- **120tpi Nylon casing** for lightness & rolling performance
- **TUBELESS READY** foldable bead designed for easy mounting & bead stability



PRO WALL

Application:
XC – Trail – Light Enduro

The ProWALL features a nylon sidewall protection that enhances the puncture resistance and the handling at low infl tion pressure. It is a solid option for XC racing, trail riding when paired with different carcass constructions, namely of 120 and 60tpi.

- **XC:** 120tpi Nylon casing for lightness & rolling performance
  TRAIL & ENDURO: 60tpi Nylon casing for improved reliability & handing performance
- Additional nylon **sidewall reinforcement** for enhanced puncture and cut protection
- **TUBELESS READY** foldable bead designed for easy mounting & bead stability



HARD WALL

Application:
Trail – Enduro

The HardWALL is a reinforced mtb casing that features a bead-to-bead protection together with an insert of hard rubber above the bead. Integrated with the 60 tpi casing, it delivers a moderate support and prevents pinch fl ts. The HardWALL casing is specifically designed or trail and enduro riding.

- **60tpi Nylon casing** for improved reliability & handing performance
- Nylon **bead-to-bead** protection against cut and puncture, both on the tread and on the sidewall
- **15 mm** rubber insert for increased pinch-fl t protection and lateral support
- **TUBELESS READY** foldable bead designed for easy mounting & bead stability



HYPER WALL PATENT PENDING

Application:
E-MTB

The HyperWALL™ is an e-MTB specific structure directly derived from the experience of Pirelli in Motocross: it features an oversized rubber insert tightly connected to the bead with a layer of fabric which increases the stability of the bead itself and protects from pinch fl ts. Coupled with a 60 tpi casing and with a bead to bead reinforcement, it is capable of handling the torque and the weight loads of modern e-bikes for an unparalleled riding experience, even at low pressures.

- **60tpi Nylon casing** for improved reliability & handing performance
- Nylon **bead-to-bead** protection against cut and puncture, both on the tread and on the sidewall
- **30 mm** rubber insert for extreme pinch-fl t resistance and lateral support
- Additional **textile bead reinforcement** for maximum bead stability
- **TUBELESS READY** foldable bead designed for easy mounting & bead stability



DUAL WALL

Application:
Racing Enduro

The DualWall is the enduro-specific racing construction. It is made up of a double-ply 120 tpi casing, reinforced with a rubber bead insert. It provides both protection and high support while featuring a limited weight and the superior suppleness and speed of an Enduro Race tyre.

- **2-ply 60tpi Nylon casing** for ultimate enduro racing performances: reliability, handing and extreme suppleness
- Dedicated **rubber insert** over the bead for increased pinch-fl t resistance and lateral support
- **TUBELESS READY** foldable bead designed for easy mounting & bead stability



DUAL WALL+

Application:
Racing DH

The DualWall+ is the downhill-specific racing construction developed in the most demanding tracks. It is made up of a double-ply 60tpi casing, reinforced with a cut-resistant sidewall layer and a rubber bead insert. It is engineered to provide superior protection, to absorb both small vibration and big impacts and to support even the highest compressions.

- **2-ply 60tpi Nylon casing** for extreme robusteness and maximum shock absorption
- Additional **sidewall reinforcement** for enhanced protection and optimal riding precision
- Dedicated **rubber insert** over the bead for increased pinch-fl t resistance and lateral support
- **TUBELESS READY** wire bead designed for the best bead stability



SCORPION™ MTB RANGE

RACE

DOWNHILL

ENDURO

DUAL WALL+

DUAL WALL

SMARTEVO COMPOUND DH



- Mixed terrains
- Soft terrains
- Traction for mixed terrains
- MUD extreme muddy conditions

E-MTB

HYPER WALL

SMARTGRIP GRAVITY



- Mixed terrains
- Soft terrains
- Rear specific for mixed terrains

ENDURO

HARD WALL

PRO WALL

SMARTGRIP GRAVITY



- Mixed terrains
- Soft terrains
- Rear specific for mixed terrains

TRAIL

PRO WALL

SMARTGRIP COMPOUND



- Hard pack
- Mixed terrains
- Soft terrains
- Rear specific for mixed terrains

XC

PRO WALL LITE

SMARTGRIP COMPOUND



- RC XCO World Cup Performance
- Hard pack
- Mixed terrains
- Soft terrains
- Rear specific for mixed terrains

SPORT XC

PRO WALL

PRO COMPOUND ENDURANCE



- Mixed terrains
- Hard pack

SCORPION™ RACE M

ALL ROUND RACING PERFORMANCE

DH & ENDURO RACING SPECIFIC

THE TRUE ALL-ROUNDER

ADVANCED DAMPING




SMARTEVO COMPOUND DH

DUAL WALL+ DUAL WALL

TUBELESS READY

Scorpion™ Race DH M and Scorpion™ Race Enduro M are the most versatile models: the central section is designed for precise and predictable traction when braking and accelerating. The lateral knobs are designed for maximum support and easier perception of the limit. The super-soft SmartEVO DH compound is combined with large knobs to optimize the grip on all types of terrain without compromising the overall stability of the tyre thanks to a stiffer base compound. The DualWall+ is the downhill-specific casing and is made up of a double-ply 60tpi casing, reinforced with a cut-resistant sidewall reinforcement and a rubber bead insert. Such structure is engineered to provide superior protection against cuts and punctures and is designed to absorb small vibration and big impacts. The DualWall enduro-specific casing is instead made up of a double-ply 120 tpi casing, reinforced with a rubber bead insert. Such structure provides both protection and support while featuring a limited weight and the superior suppleness and speed of an Enduro Race tyre.

DETAILS



DISCIPLINES

XC | Trail | Enduro | DH

TERRAINS (DRY)

Rocky | Hard Pack | Mixed | Loose over hard | Loamy & Sandy

TERRAINS (WET)

Wet Rocks | Slimy Hard Pack | Mixed Wet Roots | Wet Loose | Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Race Enduro M 27.5 x 2.5	30C / 30SS	4191100	2-ply 120 tpi, TLR	DualWALL	1380	SmartEVO DH
Scorpion™ Race Enduro M 29 x 2.5	30C / 30SS	4191200	2-ply 120 tpi, TLR	DualWALL	1450	SmartEVO DH
Scorpion™ Race DH M 27.5 x 2.5	30C / 30SS	3907200	2-ply 60 tpi, foldable TLR	DualWALL +	1300	SmartEVO DH
Scorpion™ Race DH M 29 x 2.5	30C / 30SS	3907500	2-ply 60 tpi, foldable TLR	DualWALL +	1400	SmartEVO DH

SCORPION™ RACE T

MAXIMUM TRACTION IN ANY CONDITION

DH & ENDURO RACING SPECIFIC

AGGRESSIVE TREAD PATTERN

ADVANCED DAMPING

SMARTEVO COMPOUND DH


DUAL WALL+ DUAL WALL


TUBELESS READY



Scorpion™ Race DH T and Scorpion™ Race Enduro T are named after traction, whether in acceleration, braking or cornering. The central section of the tyre features special knobs that increase traction in every phase of the rotation. The central knob is also pre-shaped in order to be cut for a better mud evacuation in intermediate conditions, especially for the front wheel use. The super-soft SmartEVO DH compound is combined with large knobs to offer superb grip on slippery and damped conditions, without compromising the overall stability of the tyre thanks to a stiffer base compound. The DualWall+ is the downhill-specifi casing and is made up of a double-ply 60tpi casing, reinforced with a cut-resistant sidewall reinforcement and a rubber bead insert. Such structure is engineered to provide superior protection against cuts and punctures and is designed to absorb small vibrations and big impacts. The DualWall enduro-specific casing is instead made up of a double-ply 120 tpi casing, reinforced with a rubber bead insert. Such structure provides both protection and support while featuring a limited weight and the superior suppleness and speed of an Enduro Race tyre.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Race Enduro **T** 27.5 x 2.5	30C / 30SS	4191300	2-ply 120 tpi, TLR	DualWALL	1380	SmartEVO DH
Scorpion™ Race Enduro **T** 29 x 2.5	30C / 30SS	4191400	2-ply 120 tpi, TLR	DualWALL	1450	SmartEVO DH
Scorpion™ Race DH **T** 27.5 x 2.5	30C / 30SS	3907400	2-ply 60 tpi, foldable TLR	DualWALL +	1300	SmartEVO DH
Scorpion™ Race DH **T** 29 x 2.5	30C / 30SS	3907700	2-ply 60 tpi, foldable TLR	DualWALL +	1400	SmartEVO DH

SCORPION™ RACE S

THE INTERMEDIATE RACING TYRE

DH & ENDURO RACING SPECIFIC

FOR SOFT AND LOOSE TERRAIN

ADVANCED DAMPING

SMARTEVO COMPOUND DH


DUAL WALL+ DUAL WALL


TUBELESS READY



Scorpion™ Race DH S and Scorpion™ Race Enduro S are the models for soft terrain conditions. The tread pattern is specifically designed for loose terrains, featuring large and taller knobs to offer superior mechanical grip, which supports aggressive riding in a wide range of conditions, down to light mud. The super-soft SmartEVO DH compound is combined with large knobs to offer superb grip on slippery surfaces, without compromising the overall stability of the tyre thanks to a stiffer base compound. The DualWall+ is the downhill-specific casing and is made up of a double-ply 60tpi casing, reinforced with a cut-resistant sidewall reinforcement and a rubber bead insert. Such structure is engineered to provide superior protection against cuts and punctures and is designed to absorb small vibrations and big impacts. The DualWall enduro-specific casing is instead made up of a double-ply 120 tpi casing, reinforced with a rubber bead insert. Such structure provides both protection and support while featuring a limited weight and the superior suppleness and speed of an Enduro Race tyre.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Race Enduro **S** 29 x 2.5	30C / 30SS	4191600	2-ply 120 tpi, TLR	DualWALL	1450	SmartEVO DH
Scorpion™ Race DH **S** 29.5 x 2.5	30C / 30SS	3907600	2-ply 60 tpi, foldable TLR	DualWALL +	1260	SmartEVO DH

SCORPION™ RACE MUD

FOR EXTREME MUDDY CONDITIONS

DH RACING SPECIFIC

EXTREME MUD

FULLY CUT-ABLE




SMARTEVO COMPOUND DH


DUAL WALL+

TUBELESS READY

Scorpion™ Race DH MUD is the model for extreme mud conditions. The tread pattern is a narrower 2.4 and features high and widely spaced knobs for the maximum mechanical grip and maximum tread cleaning. The special knobs are pre-shaped to be cut by the mechanics if the rider is looking for more stability and precision on hardpacked wet roots sections of the track. The SmartEVO DH compound is tuned towards the maximum grip on wet and deep mud. The DualWall+ is the downhill-specific casing and is made up of a double-ply 60tpi casing, reinforced with a cut-resistant sidewall reinforcement and a rubber bead insert. Such structure is engineered to provide superior protection against cuts and punctures and is designed to absorb small vibrations and big impacts.

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Race DH **Mud** 27.5 x 2.4	30C / 30SS	4191700	2-ply 60 tpi, foldable TLR	DualWALL +	1310	SmartEVO DH
Scorpion™ Race DH **Mud** 29 x 2.4	30C / 30SS	4191800	2-ply 60 tpi, foldable TLR	DualWALL +	1360	SmartEVO DH

SCORPION™

COLOUR EDITION



ENDURO

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ ENDURO *M* 29x2.4 HardWALL Gold	30 C	4354800	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity
Scorpion™ ENDURO *M* 29x2.4 HardWALL Orange	30 C	4354900	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity
Scorpion™ ENDURO *M* 29x2.4 HardWALL Turchese	30 C	4355000	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity
Scorpion™ ENDURO *M* 29x2.6 HardWALL Gold	30 C	4355200	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity
Scorpion™ ENDURO *M* 29x2.6 HardWALL Orange	30 C	4355300	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity
Scorpion™ ENDURO *M* 29x2.6 HardWALL Turchese	30 C	4355400	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity
Scorpion™ ENDURO **S** 29x2.4 HardWALL Yellow	30 C	4190000	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity
Scorpion™ ENDURO **S** 29x2.4 HardWALL Yellow	30 C	4190000	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity

E-MTB

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ E-MTB *M* 29x2.6 HyperWALL™ Gold	30 C	4355600	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity
Scorpion™ E-MTB *M* 27.5x2.6 HyperWALL™ Red	30 C	4356000	60 tpi, TLR	HyperWALL™	1100	SmartGRIP Gravity
Scorpion™ E-MTB *M* 29x2.6 HyperWALL™ Red	30 C	4355700	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity
Scorpion™ E-MTB *M* 27.5x2.6 HyperWALL™ Gold	30 C	4355900	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity

XC

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC ***RC*** 29x2.2 LITE Yellow	25 C	3957500	120 tpi, TLR	LITE	610	SmartGRIP
Scorpion™ XC ***RC*** 29x2.2 ProWALL Yellow	25 C	3957600	120 tpi, TLR	ProWALL	660	SmartGRIP
Scorpion™ XC ***RC*** 29x2.4 LITE Yellow	30 C	4022100	120 tpi, TLR	LITE	650	SmartGRIP
Scorpion™ XC ***RC*** 29x2.4 ProWALL Yellow	30 C	4022200	120 tpi, TLR	ProWALL	700	SmartGRIP
Scorpion™ XC ***RC*** 29x2.4 ProWALL Orange	25 C	4354100	120 tpi, TLR	ProWALL	660	SmartGRIP
Scorpion™ XC ***RC*** 29x2.4 ProWALL Gold	25 C	4354000	120 tpi, TLR	ProWALL	660	SmartGRIP
Scorpion™ XC ***RC*** 29x2.4 ProWALLRed	25 C	4354200	120 tpi, TLR	ProWALL	660	SmartGRIP
Scorpion™ XC ***H*** 29x2.2 ProWALL Yellow	25 C	3774900	120 tpi, TLR	ProWALL	660	SmartGRIP
Scorpion™ XC *M* 29x2.2 ProWALL Yellow	25 C	3775100	120 tpi, TLR	ProWALL	720	SmartGRIP
Scorpion™ XC *M* 29x2.4 ProWALL Gold	25 C	4354400	120 tpi, TLR	ProWALL	720	SmartGRIP
Scorpion™ XC *M* 29x2.4 ProWALLOrange	25 C	4354500	120 tpi, TLR	ProWALL	720	SmartGRIP
Scorpion™ XC *M* 29x2.4 ProWALL Red	25 C	4354600	120 tpi, TLR	ProWALL	720	SmartGRIP





SCORPION™ ENDURO M

ALL-ROUND PERFORMANCE FOR MIXED CONDITIONS

SMARTGRIP GRAVITY

HARD WALL

TUBELESS READY



Medium knob spacing for optimal balance between grip and rolling speed, maximized for both dry or wet over a **mixed variety of terrain**, from hardpack to loose and soft conditions. Everything wrapped up in the **softer formulation of the SmartGRIP Gravity Compound**. The best choice for trails where the terrains can vary and grip is fundamentally key. All with a high level of reliability for a longer lifespan for a true All-Rounder.

TERRAINS (DRY ☼)


Rocky | Hard Pack | Mixed | Loose over hard | Loamy & Sandy

TERRAINS (WET ☂)

Wet Rocks | Slimy Hard Pack | Mixed Wet Roots | Wet Loose | Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Gravity Compound:
A softer rubber for a wide range of terrains. Maximum grip in any condition

Multi-ply 60tpi Nylon for improved reliability & handing performance

HardWALL casing technology with bead-to-bead protection and rubber insert for aggressive riding

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Enduro *M* 27.5X2.6 *HardWall*	30 C	4191900	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity
Scorpion™ Enduro *M* 29X2.4 *ProWall*	30 C	4227700	60 tpi, TLR	ProWALL	950	SMARTGRIP Gravity
Scorpion™ Enduro *M* 29X2.4 *HardWall*	30 C	4192000	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity
Scorpion™ Enduro *M* 29X2.6 *ProWall*	30 C	4227800	60 tpi, TLR	ProWALL	1040	SMARTGRIP Gravity
Scorpion™ Enduro *M* 29X2.6 *HardWall*	30 C	4192100	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity
Scorpion™ Enduro *M* 60-622 *Classic*	30 C	4355100	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity
Scorpion™ Enduro *M* 65-624 *Classic*	30 C	4355500	60 tpi, TLR	HardWALL	1040	SMARTGRIP Gravity

SCORPION™ ENDURO R

REAR SPECIFIC PERFORMANCE FOR MIXED TERRAIN



SMARTGRIP COMPOUND

HARD WALL

TUBELESS READY

The R model is our rear specific design: added traction on either pedaling and braking durability without compromising performance over a mixed variety of terrain, **maximized for both dry or wet conditions due to the SmartGRIP Compound**. All with a high level of reliability for a longer lifespan: **the best combo with an M on front for a balanced riding style**.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 60tpi Nylon for improved reliability & handing performance

HardWALL casing technology with bead-to-bead protection and rubber insert for aggressive riding

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Enduro *R* 27.5X2.4 *ProWall*	30 C	4227500	60 tpi, TLR	ProWALL	835	SMARTGRIP
Scorpion™ Enduro *R* 27.5X2.4 *HardWall*	30 C	3771800	60 tpi, TLR	HardWALL	940	SMARTGRIP
Scorpion™ Enduro *R* 27.5X2.6 *HardWall*	30 C	3756900	60 tpi, TLR	HardWALL	1090	SMARTGRIP
Scorpion™ Enduro *R* 29X2.4 *ProWall*	30 C	4189700	60 tpi, TLR	ProWALL	940	SMARTGRIP
Scorpion™ Enduro *R* 29X2.4 *HardWall*	30 C	3945800	60 tpi, TLR	HardWALL	1080	SMARTGRIP
Scorpion™ Enduro *R* 29X2.6 *ProWall*	30 C	4189500	60 tpi, TLR	ProWALL	1030	SMARTGRIP
Scorpion™ Enduro *R* 29X2.6 *HardWall*	30 C	3833800	60 tpi, TLR	HardWALL	1140	SMARTGRIP

SCORPION™ ENDURO S

AGGRESSIVE RIDING IN LOOSE & SOFT TERRAIN



SMARTGRIP GRAVITY

HARD WALL

TUBELESS READY

Tall profile and widely spaced tread for **aggressive riding styles** on any kind of loose and soft terrain, whether for dry or muddy conditions due to the **softer SmartGRIP Gravity Compound**. The best choice when cornering grip in loose terrains is fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

INTENDED USE
POSSIBLE USE
NOT INTENDED USE

DETAILS



SmartGRIP Gravity Compound:
A softer rubber for a wide range of terrains. Maximum grip in any condition

Multi-ply 60tpi Nylon for improved reliability & handing performance

HardWALL casing technology with bead-to-bead protection and rubber insert for aggressive riding

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Enduro *S* 27.5X2.4 *ProWall*	30 C	4227400	60 tpi, TLR	ProWALL	900	SMARTGRIP Gravity
Scorpion™ Enduro *S* 27.5X2.4 *HardWall*	30 C	4189800	60 tpi, TLR	HardWALL	980	SMARTGRIP Gravity
Scorpion™ Enduro *S* 27.5X2.6 *HardWall*	30 C	4192200	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.4 *ProWall*	30 C	4227300	60 tpi, TLR	ProWALL	970	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.4 *ProWall Classic*	30 C	4227600	60 tpi, TLR	ProWALL	970	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.4 *HardWall*	30 C	4189900	60 tpi, TLR	HardWALL	1080	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.4 *HardWall Classic*	30 C	4190100	60 tpi, TLR	HardWALL	1080	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.6 *ProWall*	30 C	4189600	60 tpi, TLR	ProWALL	940	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.6 *HardWall*	30 C	4192300	60 tpi, TLR	HardWALL	1080	SMARTGRIP Gravity
Scorpion™ Enduro *S* 29X2.6 *HardWall Classic*	30 C	4192500	60 tpi, TLR	HardWALL	1080	SMARTGRIP Gravity



SCORPION™ E-MTB M

ULTRA HEAVY-DUTY FOR MIXED CONDITIONS

SMARTGRIP GRAVITY

HYPER WALL

TUBELESS READY



Medium knob spacing for optimal balance between grip and rolling speed, maximized for both dry or wet over a **mixed variety of terrain**, from hardpack to loose and soft conditions. Everything wrapped up in the **softer formulation of the SmartGRIP Gravity Compound**. The best choice for trails where the terrains can vary and grip is fundamentally key. All with a high level of reliability for a longer lifespan for a true All-Rounder.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Gravity Compound:
A softer rubber for a wide range of terrains.
Maximum grip in any condition

Multi-ply 60tpi Nylon for improved reliability & handing performance

Innovative patent pending **HyperWALL™** construction with multiple protective inserts for E-MTB specific reliability

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ E-MTB *M* 27.5X2.6 HyperWALL™	30 C	4192900	60 tpi, TLR	HyperWALL™	1200	SMARTGRIP Gravity
Scorpion™ E-MTB *M* 29X2.6 HyperWALL™	30 C	4193000	60 tpi, TLR	HyperWALL™	1270	SMARTGRIP Gravity
Scorpion™ E-MTB *M* 65-622 *Classic*	30 C	4355800	60 tpi, TLR	HyperWALL™	1270	SMARTGRIP Gravity
Scorpion™ E-MTB *M* 65-584 *Classic*	30 C	4356100	60 tpi, TLR	HyperWALL™	1200	SMARTGRIP Gravity

SCORPION™ E-MTB R

ULTRA HEAVY-DUTY FOR AGGRESSIVE RIDING

SMARTGRIP COMPOUND

HYPER WALL

TUBELESS READY



The R model is our rear specific design: **added traction** on both pedaling and braking durability without compromising rolling performance over a mixed variety of terrain, maximized for both dry or wet conditions due to the **E-MTB** specific **SmartGRIP Compound**. All with a new standard of rubber lifespan and casing reliability from incorporating the **HyperWALL™** construction. Best paired with an M on front for a balanced riding style.

TERRAINS (DRY)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with E-MTB specific **resistance** to tearing and grip in both wet & dry conditions

Multi-ply 60tpi Nylon for improved reliability & handing performance

Innovative patent pending **HyperWALL™** construction with multiple protective inserts for E-MTB specific reliability

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ E-MTB *R* 27.5X2.6 HyperWALL™	30 C	3834600	60 tpi, TLR	HyperWALL™	1230	SMARTGRIP
Scorpion™ E-MTB *R* 27.5X2.8 HyperWALL™	35 C	4130600	60 tpi, TLR	HyperWALL™	1250	SMARTGRIP
Scorpion™ E-MTB *R* 29X2.6 HyperWALL™	30 C	3873200	60 tpi, TLR	HyperWALL™	1315	SMARTGRIP

SCORPION™ E-MTB S

ULTRA HEAVY-DUTY FOR AGGRESSIVE RIDING

SMARTGRIP GRAVITY

HYPER WALL

TUBELESS READY



Tall profile and widely spaced tread for aggressive riding styles on any kind of loose and soft terrain, whether for dry or muddy conditions due to the **softer SmartGRIP Gravity Compound**. The best choice when cornering grip in loose terrains is fundamental, all with a new standard of casing reliability from incorporating the **HyperWALL™** construction.

TERRAINS (DRY)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Gravity Compound:
A softer rubber for a wide range of terrains. Maximum grip in any condition

Multi-ply 60tpi Nylon for improved reliability & handing performance

Innovative patent pending **HyperWALL™** construction with multiple protective inserts for E-MTB specific reliability

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ E-MTB *S* 27.5X2.6 HyperWALL™	30 C	4194300	60 tpi, TLR	HyperWALL™	1260	SMARTGRIP Gravity
Scorpion™ E-MTB *S* 29X2.6 HyperWALL™	30 C	4194400	60 tpi, TLR	HyperWALL™	1330	SMARTGRIP Gravity

SCORPION™ TRAIL H

FAST ROLLING ON HARDPACK

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Low profile and compact tread spacing for riding quickly and confidently over any kind of hardpack terrain, for dry or wet conditions, **enhanced by the SmartGRIP Compound** properties. The best choice for trails where maintaining **speed** is fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 60tpi Nylon for improved reliability & handing performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

PRO WALL

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Trail *H* 29X2.4 *ProWall*	30 C	3704800	60 tpi, TLR	ProWALL	870	SMARTGRIP
Scorpion™ Trail *H* 29X2.6 *ProWall*	30 C	4189300	60 tpi, TLR	ProWALL	900	SMARTGRIP

SCORPION™ TRAIL M

SUPERIOR PERFORMANCE IN MIXED TERRAIN

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Medium profile and tread spacing for riding quickly and confidently over a mixed variety of terrains, from hardpack to loose and soft, in dry or wet conditions, **enhanced by the SmartGRIP Compound** properties. The best choice for trails where terrain can vary but **speed and grip** are fundamental **at the same time**, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 60tpi Nylon for improved reliability & handing performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

PRO WALL

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Trail *M* 29X2.4 *ProWall*	30 C	3704900	60 tpi, TLR	ProWALL	930	SMARTGRIP
Scorpion™ Trail *M* 29X2.6 *ProWall*	30 C	4189400	60 tpi, TLR	ProWALL	920	SMARTGRIP

SCORPION™ TRAIL S

AGGRESSIVE RIDING IN LOOSE & SOFT TERRAIN

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Tall profile and widely spaced tread to penetrate deep and grip any kind of loose and soft terrain, in dry or muddy conditions, **maximized for both dry or wet conditions from the SmartGRIP Compound**. The best choice for aggressive riding styles on any course where terrain can vary but grip is fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 60tpi Nylon for improved reliability & handing performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

PRO WALL

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Trail *S* 29X2.4 *ProWall*	30 C	4227200	60 tpi, TLR	ProWALL	930	SMARTGRIP

SCORPION™ TRAIL R

REAR SPECIFIC PERFORMANCE IN MIXED TERRAIN

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



The R model is our rear specific design: added traction enhancing pedaling and braking and durability without compromising performance over a mixed variety of terrain, **maximized for both dry or wet conditions from the SmartGRIP Compound**. All with a high level of reliability for a longer lifespan: **the best combo with an M on front for a balanced riding experience**.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

- INTENDED USE
- POSSIBLE USE
- NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 60tpi Nylon for improved reliability & handing performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

PRO WALL

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Trail *R* 29X2.4 *ProWall*	30 C	3705100	60 tpi, TLR	ProWALL	930	SMARTGRIP

SCORPION™ XC RC

WORLD CUP LEVEL PERFORMANCE

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



A tread pattern designed to handle a mixed variety of terrains which you normally encounter on XCO courses: from man made technical sections to natural terrain, from hardpack to loose conditions. The RC is designed for the racer who seeks maximum **speed** knowing how to maximize control of his MTB while **racing**. All with a high level of reliability for a longer lifespan from the SmartGRIP Compound.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy
■	■	■	■	

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy
■	■	■	■	

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

DETAILS



LITE PRO WALL

SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 120tpi Nylon for lightness & rolling performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC ***RC*** 29X2.2 *LITE*	25 C	3945400	120 tpi, TLR	LITE	610	SMARTGRIP
Scorpion™ XC ***RC*** 29X2.2 *ProWall*	25 C	3945500	120 tpi, TLR	ProWALL	660	SMARTGRIP
Scorpion™ XC ***RC*** 61-622 *Classic*	30 C	4354300	120 tpi, TLR	ProWALL	660	SMARTGRIP

SCORPION™ XC H

ULTIMATE SPEED ON HARDPACK

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Low profile and compact tread spacing for riding quickly and confidently over any type of hardpack terrain, in dry or wet conditions, **enhanced by the SmartGRIP Compound** properties. The best choice for XCM courses where terrains can vary but **speed** is fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy
■	■	■	■	

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy
■	■	■	■	

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

DETAILS



LITE PRO WALL

SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 120tpi Nylon for lightness & rolling performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC ***H*** 29X2.2 *LITE*	25 C	3703800	120 tpi, TLR	LITE	610	SMARTGRIP
Scorpion™ XC ***H*** 29X2.2 *ProWall*	25 C	3704100	120 tpi, TLR	ProWALL	660	SMARTGRIP
Scorpion™ XC ***H*** 29X2.4 *ProWall*	30 C	3704500	120 tpi, TLR	ProWALL	785	SMARTGRIP
Scorpion™ XC ***H*** 29X2.2 *ProWall Classic*	25 C	3905600	120 tpi, TLR	ProWALL	660	SMARTGRIP

Classic = TAN Sidewall

SCORPION™ XC M

ULTIMATE PERFORMANCE IN MIXED TERRAIN

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Medium profile and tread spacing for riding quickly and confidently over a mixed variety of terrains, from hard to soft, in dry or wet conditions, **enhanced by the SmartGRIP Compound** properties. The best choice for XCM courses where terrains can vary but **speed** and **grip** are fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy
■	■	■	■	

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy
■	■	■	■	

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

DETAILS



LITE PRO WALL

SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 120tpi Nylon for lightness & rolling performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC *M* 29X2.2 *LITE*	25 C	3703900	120 tpi, TLR	LITE	660	SMARTGRIP
Scorpion™ XC *M* 29X2.2 *ProWall*	25 C	3704200	120 tpi, TLR	ProWALL	720	SMARTGRIP
Scorpion™ XC *M* 29X2.4 *ProWall*	30 C	3704600	120 tpi, TLR	ProWALL	825	SMARTGRIP
Scorpion™ XC *M* 29X2.2 *ProWall Classic*	25 C	3905700	120 tpi, TLR	ProWALL	720	SMARTGRIP
Scorpion™ XC *M* 61-622 *Classic*	30 C	4354700	120 tpi, TLR	ProWALL	825	SMARTGRIP

Classic = TAN Sidewall

SCORPION™ XC S

ULTIMATE GRIP IN LOOSE & SOFT TERRAIN

SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY



Tall profile and widely spaced tread to cut into and grip any kind of loose and soft terrain, in dry or muddy conditions, **enhanced by the SmartGRIP Compound** properties. The best choice for any course where terrains can vary and **grip** is fundamental, all with a high level of reliability for a longer lifespan.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy
□	□	■	■	■

TERRAINS (WET 🌧)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy
□	□	■	■	■

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

DETAILS



LITE PRO WALL

SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 120tpi Nylon for lightness & rolling performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC *S* 29X2.2 *LITE*	25 C	3704000	120 tpi, TLR	LITE	680	SMARTGRIP
Scorpion™ XC *S* 29X2.2 *ProWall*	25 C	3704300	120 tpi, TLR	ProWALL	730	SMARTGRIP
Scorpion™ XC *S* 29X2.4 *ProWall*	30 C	3704700	120 tpi, TLR	ProWALL	825	SMARTGRIP

SCORPION™ XC R

REAR SPECIFIC PERFORMANCE IN MIXED TERRAIN



SMARTGRIP COMPOUND

PRO WALL

TUBELESS READY

The R model is our rear specific design: medium profile and tread spacing and added traction and durability without compromising performance over a mixed variety of terrains, in dry or wet conditions, **enhanced by the SmartGRIP Compound** properties. All with a high level of reliability for a longer lifespan: **the best combo with an M on front for a completely balanced riding experience**.

TERRAINS (DRY ☼)


Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy
■	■	■	■	

TERRAINS (WET ☂)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy
■	■	■	■	

■ INTENDED USE
■ POSSIBLE USE
□ NOT INTENDED USE

DETAILS



SmartGRIP Compound:
Long-lasting grip in both wet & dry conditions with increased resistance to tearing

Multi-ply 120tpi Nylon for lightness & rolling performance

ProWALL protective sidewall reinforcement technology for enhanced puncture protection

TUBELESS READY technology designed for easy mounting & bead stability

PRO WALL

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ XC *R* 29X2.2 *ProWall*	25 C	3704400	120 tpi, TLR	ProWALL	730	SMARTGRIP
Scorpion™ XC *R* 29X2.2 *ProWall Classic*	25 C	3905800	120 tpi, TLR	ProWALL	730	SMARTGRIP

Classic = TAN Sidewall



SCORPION™ SPORT XC M

THE ALL-ROUNDER FOR MIXED CONDITIONS

MIXED TERRAINS

COMFORT

MILEAGE

PRO COMPOUND ENDURANCE

PRO WALL



The **Scorpion Sport XC M** is the latest introduction in Pirelli's Cross Country range, designed for a relaxed, non-competitive approach to MTB, in light XC and trail. For those looking for a safe, reliable and comfortable product.

The combination of the 60 TPI **ProWall** casing with sidewall protections and the **Procompound Endurance**, developed specifically for this product family, results in maximum resistance to punctures and cuts, ensuring product reliability and durability.

An "all rounder" suitable for any riding style.

SCORPION™ SPORT XC H

SPEED ON HARD PACK CONDITIONS

SPEED

COMFORT

MILEAGE

PRO COMPOUND ENDURANCE

PRO WALL




The **Scorpion Sport XC H** is the latest introduction in Pirelli's Cross Country range, designed for a relaxed, non-competitive approach to MTB, in light XC and trail. For those looking for a safe, reliable and comfortable product.

The combination of the 60 TPI **ProWall** casing with side wall protections and the **Procompound Endurance**, developed specifically for this product family, results in maximum resistance to punctures and cuts, ensuring product reliability and durability.

The arrangement and geometry of the H deisgn are made to tackle hardpack and fast rolling surfaces.

DETAILS



DISCIPLINES

XC	Trail	Enduro	DH

TERRAINS (DRY)

Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy


INTENDED USE

POSSIBLE USE

NOT INTENDED USE

DESCRIPTION	IPCODE	BEAD	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Sport XC *M* 29x2.2	4197600	foldable	1-ply 60 tpi - TLR	ProWall	703	Procompound Endurance
Scorpion™ Sport XC *M* 29x2.4	4197700	foldable	1-ply 60 tpi - TLR	ProWall	821	Procompound Endurance

DETAILS



DISCIPLINES

XC	Trail	Enduro	DH

TERRAINS (DRY)

Rocky	Hard Pack	Mixed	Loose over hard	Loamy & Sandy

TERRAINS (WET)

Wet Rocks	Slimy Hard Pack	Mixed Wet Roots	Wet Loose	Muddy

INTENDED USE

POSSIBLE USE

NOT INTENDED USE

DESCRIPTION	IPCODE	BEAD	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Scorpion™ Sport XC *H* 29x2.2	4197400	foldable	1-ply 60 tpi - TLR	ProWall	703	Procompound Endurance
Scorpion™ Sport XC *H* 29x2.4	4197500	foldable	1-ply 60 tpi - TLR	ProWall	821	Procompound Endurance

URBAN TECH
& PRODUCT RANGE

ANGEL™ URBAN



POSITIONING:

Urban mobility has always and will continue to play an important role in our lives in the future. People are increasingly focused on ways that allow them to get around while also supporting **reduced environmental impact** and a **healthier lifestyle**.

To help achieve these goals, an increasing number of consumers are choosing bikes for transportation, particularly in urban settings. Depending on distances and other conditions, **consumers are buying all types of bicycles**, those you pedal and electric or e-bikes that assist you while you pedal - also called speed pedelec – **as a more dynamic, environmentally friendly and healthy alternative to scooters, motorcycles and cars**.

The progressive growth of cycle lanes and restriction to access in certain urban areas, support these factors and have made the bicycle the perfect choice for daily use.

Pirelli has taken advantage of its knowledge and technological **leadership in many motorcycles segments to transmit some features into city**, touring and trekking bicycle tyres: from groove design to tread profil , Pirelli crafted its famous motorbike handling and grip into a revolutionary bicycle tyre range, the Angel™ Urban.

URBAN TECH OVERVIEW

PRO COMPOUND URBAN

Silica compound mixed for the best urban application
GRIP LOW ROLLING RESISTANCE & MILEAGE



HYPERBELT

5mm anti-puncture layer combined with a cut-resistant Nylon 60tpi casing ***EXCELLENT PROTECTION AND COMFORT ON ANY TYPE OF TERRAIN***



MULTIRADIUS PROFILE

Sharp in the centre for agile response more homogeneous on the shoulders. ***MAXIMIZED HANDLING AND CONTACT PATCH***



e-bike READY

The entire Angel™ Urban range meets the ECE-R75 certific tion that means the tyres meet European standards specific to the needs of speed e-bikes that go up to 50km/h (31mph).

The reflecti e stripe meets the approval requirements in the European ECE-R88 regulations that the reflecti e bands emit a sufficientl visible light even at an unfavourable angle.



ANGEL™ GT URBAN

Urban Performance

HANDLING
SPEED
GRIP

HYPERBELT

PRO COMPOUND URBAN




Angel™ GT Urban is named for the the motorcycle tyre Angel™ GT, winner of several magazine comparatives, since both call for **speed, grip and handling**. It is the solution for those consumers that focus on performance and want a dynamic tyre whenever they are riding any type of bike. The tyre is made with a **HyperBELT carcass** with a **5mm puncture resistant layer** to meet the demanding conditions of urban riding. The grooves in the tread pattern together with the **PROCompound Urban** make the tyre more dynamic, fast and ready to face any asphalt condition, even wet.
Finally, thanks to the **motorcycle-derived and patented profile**, the Angel™ GT Urban is shaped to be **agile** in traffic and to give comfort and control when commuting to work or riding in your free time.



Motorcycle reference design
Angel™ GT: The Sport Touring tyre with Pirelli sporty DNA.

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Angel™ *GT* Urban 37-622	23 C	4127000	60 tpi, tube	HyperBELT 5mm	840	Pro Compound Urban
Angel™ *GT* Urban 42-622	23 C	4127100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban
Angel™ *GT* Urban 47-622	25 C	4127200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban
Angel™ *GT* Urban 52-622	25 C	4127300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban
Angel™ *GT* Urban 57-584	25 C	4141900	60 tpi, tube	HyperBELT 5mm	1110	Pro Compound Urban
Angel™ *GT* Urban 57-622	25 C	4127400	60 tpi, tube	HyperBELT 5mm	1150	Pro Compound Urban
Angel™ *GT* Urban 62-622	30 C	4142100	60 tpi, tube	HyperBELT 5mm	1300	Pro Compound Urban
Angel™ *GT* Urban 62-559	30 C	4170400	60 tpi, tube	HyperBELT 5mm	1170	Pro Compound Urban

ANGEL™ DT URBAN

Urban Control

PROTECTION
ALL SEASON
COMFORT

HYPERBELT

PRO COMPOUND URBAN




Angel™ DT Urban is the choice for **urban commuting** and daily city use. It combines top performance with a strong casing structure that helps when facing different types of road surfaces during every daily ride. Considering the number of different threats that a tyre encounters during its lifespan, **such as potholes or tram rails**, it is clear that any tyre must **perform in a wide range of conditions**.
Thanks to the dual benefits of the HyperBELT casing structure and the tread pattern design, derived from Pirelli's Angel™ Scooter, the new Angel™ DT Urban is capable of offering a **more comfortable and smooth ride**, even in wet conditions. The **5mm rubber layer** gives the highest level of puncture resistance to help you to face the **uncertain conditions of urban riding**.
Additionally, the Angel™ DT Urban is shaped to be agile in traffi and provide comfort and control in city applications thanks to the **motorcycle-derived and patented profile**.



Motorcycle reference design
Angel™ Scooter: The guardian ANGEL™ for urban mobility

DETAILS



DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Angel™ *DT* Urban 28-622	19 C	4125800	60 tpi, tube	HyperBELT 3mm	480	Pro Compound Urban
Angel™ *DT* Urban 32-622	21 C	4125900	60 tpi, tube	HyperBELT 5mm	720	Pro Compound Urban
Angel™ *DT* Urban 37-622	23 C	4126000	60 tpi, tube	HyperBELT 5mm	840	Pro Compound Urban
Angel™ *DT* Urban 42-622	23 C	4126100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban
Angel™ *DT* Urban 47-622	25 C	4126200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban
Angel™ *DT* Urban 52-622	25 C	4126300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban
Angel™ *DT* Urban 57-406	25 C	4170200	60 tpi, tube	HyperBELT 5mm	850	Pro Compound Urban
Angel™ *DT* Urban 57-507	25 C	4170300	60 tpi, tube	HyperBELT 5mm	1020	Pro Compound Urban
Angel™ *DT* Urban 57-584	25 C	4126400	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban

ANGEL™ XT URBAN

Urban Adventure

ON/OFF ROAD USE

RELIABILITY

TRACTION



HYPERBELT


PRO COMPOUND URBAN


When it comes to **multi-purpose tyres**, Pirelli is always in the lead when it comes to innovation. Specifically designed to meet the needs **of road and light off-road terrain**, the **Angel™ XT Urban** is the perfect choice for your daily city adventure. With its **knobbly tread pattern**, inherited from the MT60™ RS, this tyre provides agile road handling, comfort and grip, and traction in light dirt or gravel conditions. This is due to the **different shapes of the knobs**: lower at the centre part, to encourage fast rolling on tarmac, higher on the lateral, ready to face light off-roads terrain. The motorcycle derived profiles, provide traction while leaning. The 5mm rubber layer, makes the tyre suitable for **light trails outside the city and reliable in uncertain terrains**.



Motorcycle reference design
MT60™ RS: The knobbly choice of road enthusiasts

DETAILS





DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND
Angel™ *XT* Urban 32-622	21 C	4127900	60 tpi, tube	HyperBELT 5mm	720	Pro Compound Urban
Angel™ *XT* Urban 37-622	23 C	4128000	60 tpi, tube	HyperBELT 5mm	810	Pro Compound Urban
Angel™ *XT* Urban 42-622	23 C	4128100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban
Angel™ *XT* Urban 47-622	25 C	4128200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban
Angel™ *XT* Urban 52-622	25 C	4128300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban
Angel™ *XT* Urban 57-622	25 C	4128400	60 tpi, tube	HyperBELT 5mm	1150	Pro Compound Urban
Angel™ *XT* Urban 62-622	30 C	4142200	60 tpi, tube	HyperBELT 5mm	1295	Pro Compound Urban



ACCESSORIES

SMARTUBE
PURE LIGHTNESS

LIGHT

MINI

STRONG



The SmarTUBE is Pirelli's latest product in the world of tubes, as we continue to seek to improve performance in modern cycling.

They are the result of **our development for World Tour tubulars**, now made available for everyday rides with clinchers. Made from a thermoplastic polyurethane (TPU), **it can save up to 70% of the weight** of a general butyl tube and almost 50% of the space in your pockets, while being stronger than butyl as a raw material.

It is available in a comprehensive range of sizes that include Road (P ZERO™ SmarTUBE), MTB (Scorpion™ SmarTUBE) and includes a reinforced version for Gravel or Endurance applications (Cinturato™ SmarTUBE). These tubes have two big benefits ver butyl tubes:

they **reduce the rotating mass** where it counts the most (wheels), making your bike livelier and quicker in accelerations to help improve your handling and climbing speed

they **save space** in your pockets (or bags), so that you can carry more food and ride longer

As a bonus, the **reinforced Cinturato™ SmarTUBE** model has tuned the amazing properties of the TPU material to address a different advantages: double the puncture protection compared to a standard butyl tube, and are light weight and compact when folded away as a spare.
Choose them for the weight saving or the space saving, they will provide puncture resistant performance and a (Racing) Pirelli yellow colour - that won't hurt.

MODEL	SIZE	IPCODE	WEIGHT (g)	VALVE TYPE	VALVE COLOR	MATERIAL	COMPATIBILITY
P ZERO™ SMARTUBE	700x23/32c - 42mm valve	4229500	35	Presta	Black	TPU	Disc and rim brakes
P ZERO™ SMARTUBE	700x23/32c - 60mm valve	4094300	35	Presta	Black	TPU	Disc and rim brakes
P ZERO™ SMARTUBE	700x23/32c - 80mm valve	4153300	35	Presta	Black	TPU	Disc and rim brakes
CINTURATO™ SMARTUBE	700x28/35c - 60mm valve	4094400	70	Presta	Black	TPU, reinforced	Disc and rim brakes
CINTURATO™ SMARTUBE	700x33/45c - 60mm valve	4094500	49	Presta	Black	TPU	Disc and rim brakes
CINTURATO™ SMARTUBE	650x40/50c - 60mm valve	4094600	45	Presta	Black	TPU	Disc and rim brakes
CINTURATO™ SMARTUBE	700x35/45c - 60mm valve	4149900	110	Presta	Black	TPU, reinforced	Disc and rim brakes
SCORPION™ SMARTUBE	1.8/2.2x29" - 42mm valve	4094000	75	Presta	Black	TPU	Disc brakes
SCORPION™ SMARTUBE	2.2/2.6x29" - 42mm valve	4094100	100	Presta	Black	TPU	Disc brakes
SCORPION™ SMARTUBE	2.2/2.6x27,5" - 42mm valve	4094200	95	Presta	Black	TPU	Disc brakes

SMARTUBE REPAIR KIT

The SmarTUBE Repair Kit consists of 5 big and 5 small patches to easily repair holes of different sizes.
Patches can be applied using a special glue coming with the Kit.



MODEL	IPCODE	WEIGHT (g)	MATERIAL	COMPATIBILITY
SmarTUBE Patch KIT	9393700	40	TPU	TPU Tubes

ROADTUBE & SPORTUBE



MODEL	SIZE	IPCODE	VALVE TYPE	WEIGHT (g)	MATERIAL	COMPATIBILITY
RoadTUBE	700x23/30c - 48mm valve	3702500	Presta, RVC - Black	85	Butyl	Disc and rim brakes
RoadTUBE	700x23/30c - 60mm valve	3702600	Presta, RVC - Black	85	Butyl	Disc and rim brakes
RoadTUBE	23/30-622 - 80mm valve	4221400	Presta, RVC - Black	85	Butyl	Disc and rim brakes

MODEL	SIZE	IPCODE	VALVE TYPE	WEIGHT (g)	MATERIAL	COMPATIBILITY
SporTUBE	700x23/30c - 48mm valve	4099200	Presta - Silver	120	Butyl	Disc and rim brakes
SporTUBE	700x23/30c - 60mm valve	4221500	Presta - Silver	120	Butyl	Disc and rim brakes
SporTUBE	700x32/40c - 48mm valve	3702700	Presta - Silver	150	Butyl	Disc and rim brakes
SporTUBE	700x42/50c - 48mm valve	3702900	Presta - Silver	160	Butyl	Disc and rim brakes
SporTUBE	2.1/2.4x27,5" - 48mm valve	3703100	Presta - Silver	200	Butyl	Disc and rim brakes
SporTUBE	2.5/2.8x27,5" - 48mm valve	3703300	Presta - Silver	300	Butyl	Disc and rim brakes
SporTUBE	2.1/2.3x29" - 48mm valve	3703500	Presta - Silver	210	Butyl	Disc and rim brakes
SporTUBE	2.4/2.6x29" - 48mm valve	3703600	Presta - Silver	260	Butyl	Disc and rim brakes

PIRELLI SEALANT RANGE



P ZERO™
HIGH PRESSURE SEALANT

Cinturato™
SEALANT

SCORPION™
SEALANT

A comprehensive range of tubeless sealants to cover the whole range of applications: from high pressure P ZERO™ road specific to standard (ammonia and latex free) sealant for gravel (Cinturato™) and MTB (Scorpion™) usage.
Pirelli has given flagship names for the different cycling applications to help dealers as well as end consumers navigate through the offer. Highlights are a dedicated formulation to work better with high infl tion pressures typical of road racing use, as well as a formula which is less aggressive to either equipment and skin (ammonia and latex free).

P ZERO™



60ml - 2oz

- Designed to protect against fl ts and air leaks from thin sidewall bicycle tyres.
- Designed for high pressure tubeless & TLR tyres, tubulars and inner tubes.
- CO2 compatible.
- Contains Ammonia, Latex and micro sealing particles.
- Won't leave sticky residue in the tyre.
- Compatible with a wide range of temperatures (-20°C/68°F to 70°C/158°F).

INTENDED USE

Road

CINTURATO™ & SCORPION™

Ammonia free
Latex free



125ml - 4,5oz 240ml - 8oz 1l - 33,8oz 5l - 175oz


125ml size bottle best suits gravel riders needs for saving space when packing up spares on long adventures. For this reason it's been named after Pirelli Cinturato™ gravel product range. Formulation is identical to Scorpion™ sealant.

INTENDED USE

Road	MTB
Gravel	Urban

■ Intended use ☐ Possible use

- Designed to protect against fl ts and air leaks from thin sidewall bicycle tyres.
- Ammonia free - won't damage the rim.
- Latex free and protein free reduced risk for allergic reaction.
- Won't leave sticky residue in the tyre.
- Compatible with a wide range of temperatures (-20°C/68°F to 70°C/158°F).
- Compatible with a wide range of infl ting pressures (1 to 7 bar / 15PSI to 100PSI).
- Compatible with CO_2 **only for an emergency repair** on field: CO_2 speeds up coagulation so sealant must be replaced afterwards.



TYRE SIZE	QUANTITY
700 x 23 to 32mm	40 to 60ml / 1,4 to 2oz
700 x 33 to 40mm	60 to 80ml / 2 to 2,8oz
700 x 40 to 50mm / 650 x 45 to 50mm	80 to 100ml / 2,8 to 3,5oz
29x2.0 to 2.4"	100 to 120ml / 3,5 to 4,2oz
29x2.4 to 2.6"	120 to 140ml / 4,2 to 4,9oz
27.5x2.4 to 2.8"	110 to 150ml / 3,9 to 5,2oz

3-6 MONTHS

For effective puncture resistance, add fresh sealant every 3-6 months depending on quantity and weather conditions



NAME	IPCODE	QUANTITY
P ZERO SEAL 60ml	4093500	60ml - 2oz
Cinturato SEAL 125ml	4093600	125ml - 4,5oz
Scorpion SEAL 240ml	4093700	240ml - 8oz
Scorpion SEAL 1000ml	4093800	1l - 33,8oz
Scorpion SEAL 5000ml	4093900	5l - 175oz

PIRELLI ROAD RANGE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
P ZERO™ RACE *TLR* ***SL*** 26-622	19 C	3905500	127 tpi, TLR	TechWALL	245	SmartEVO	84,90 €
P ZERO™ RACE *TLR* ***SL*** 28-622	19 C	3927800	127 tpi, TLR	TechWALL	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 26-622 *Made in Italy*	19 C	4149500	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 *Made in Italy*	19 C	4149600	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race *TLR* 30-622 *Made in Italy*	21 C	3983700	120 tpi, TLR	SPEEDCore	315	SmartEVO	84,90 €
P ZERO™ Race *TLR* 32-622 *Made in Italy*	21 C	4155300	120 tpi, TLR	SPEEDCore	335	SmartEVO	84,90 €
P ZERO™ Race *TLR* 35-622 *Made in Italy*	23 C	4155400	120 tpi, TLR	SPEEDCore	355	SmartEVO	84,90 €
P ZERO™ Race *TLR* 40-622 *Made in Italy*	23 C	4155500	120 tpi, TLR	SPEEDCore	375	SmartEVO	84,90 €
P ZERO™ Race *TLR* 26-622 *Classic*	19 C	3984200	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 *Classic*	19 C	3984300	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race *TLR* 30-622 *Classic*	21 C	4329500	120 tpi, TLR	SPEEDCore	315	SmartEVO	84,90 €
P ZERO™ Race 26-622 *Made in Italy*	19 C	4149700	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 *Made in Italy*	19 C	4149800	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 30-622 *Made in Italy*	21 C	4076400	127 tpi, tube	TechBELT	250	SmartEVO	74,90 €
P ZERO™ Race 26-622 *Classic Made in Italy*	19 C	4113800	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 *Classic Made in Italy*	19 C	4113900	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race *TLR* 26-622 Red *Made in Italy*	19C	4204300	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 Red *Made in Italy*	19C	4204600	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race *TLR* 26-622 White *Made in Italy*	19C	4204200	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 White *Made in Italy*	19C	4204500	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race *TLR* 26-622 Yellow *Made in Italy*	19C	4204100	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 Yellow *Made in Italy*	19C	4204400	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race *TLR* 26-622 Gold *Made in Italy*	19C	4416500	120 tpi, TLR	SPEEDCore	275	SmartEVO	84,90 €
P ZERO™ Race *TLR* 28-622 Gold *Made in Italy*	19C	4416600	120 tpi, TLR	SPEEDCore	295	SmartEVO	84,90 €
P ZERO™ Race 26-622 Gold	19 C	4119600	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Gold	19 C	4119700	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Celeste	19 C	4119800	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Celeste	19 C	4119900	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Pink	19 C	4120000	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Pink	19 C	4120100	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Turchese	19 C	4285100	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Turchese	19 C	4285200	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Yellow	19 C	4196300	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Yellow	19 C	4196400	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Red	19 C	4196500	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Red	19 C	4196600	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 White	19 C	4196700	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 White	19 C	4196800	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Lime	19 C	4297500	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Lime	19 C	4297600	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Orange	19 C	4297700	127 tpi, tube	TechBELT	210	SmartEVO	74,90 €
P ZERO™ Race 28-622 Orange	19 C	4297800	127 tpi, tube	TechBELT	230	SmartEVO	74,90 €
P ZERO™ Race 26-622 Fucsia	19 C	4297900	128 tpi, tube	TechBELT	210	SmartEVO	84,90 €
P ZERO™ Race 28-622 Fucsia	19 C	4298000	129 tpi, tube	TechBELT	230	SmartEVO	84,90 €
P ZERO™ Race ***4S*** *TLR* 28-622 *Made in Italy*	19 C	4203500	120 tpi, TLR	SPEEDCore	330	SmartNET Silica	84,90 €
P ZERO™ Race ***4S*** *TLR* 30-622 *Made in Italy*	21 C	4203600	120 tpi, TLR	SPEEDCore	365	SmartNET Silica	84,90 €
P ZERO™ Race ***4S*** *TLR* 32-622 *Made in Italy*	21 C	4203700	120 tpi, TLR	SPEEDCore	395	SmartNET Silica	84,90 €
P ZERO™ Race ***4S*** 26-622	19 C	4203200	127 tpi, tube	TechBELT	240	SmartEVO	74,90 €
P ZERO™ Race ***4S*** 28-622	19 C	4203300	127 tpi, tube	TechBELT	260	SmartEVO	74,90 €
P ZERO™ Race ***4S*** 30-622	19 C	4203400	127 tpi, tube	TechBELT	280	SmartEVO	74,90 €
P ZERO™ RACE ***TT*** 26-622 *Made in Italy*	19 C	4308600	120 tpi, tube type	LITE	200	SmartEVO	74,90 €
P ZERO™ RACE ***TT*** 28-622 *Made in Italy*	19 C	4319000	120 tpi, tube type	LITE	215	SmartEVO	74,90 €
P ZERO™ Race ***TUB SL*** 26-28"	-	4076500	320 tpi, tubular	TechBELT	280	SmartEVO	149,00 €
P ZERO™ Velo ***TUB*** 25-28"	-	3605300	320 tpi, tubular	TechBELT	310	YellowSOFT	119,00 €
P ZERO™ Velo ***TUB*** 28-28"	-	3605400	320 tpi, tubular	TechBELT	335	YellowSOFT	119,00 €
PZERO™ Road *TLR* 28-622	19 C	4114300	120 tpi, TLR	TechLINER	340	EVO Compound	59,90 €
PZERO™ Road *TLR* 30-622	19 C	4114400	120 tpi, TLR	TechLINER	370	EVO Compound	59,90 €
PZERO™ Road *TLR* 32-622	21 C	4155200	120 tpi, TLR	TechLINER	400	EVO Compound	59,90 €
PZERO™ Road *TLR* 35-622	23 C	4292900	120 tpi, TLR	TechLINER	430	EVO Compound	59,90 €
P ZERO™ Road 24-622	17 C	4021100	127 tpi, tube	TechBELT	215	EVO Compound	49,90 €
P ZERO™ Road 26-622	17 C	3984800	127 tpi, tube	TechBELT	235	EVO Compound	49,90 €
P ZERO™ Road 28-622	17 C	3984900	127 tpi, tube	TechBELT	255	EVO Compound	49,90 €
P7™ Sport 24-622	17 C	4021700	60 tpi, tube	TechBELT	250	Pro Compound	29,90 €
P7™ Sport 26-622	19 C	4021800	60 tpi, tube	TechBELT	280	Pro Compound	29,90 €
P7™ Sport 28-622	19 C	4021900	60 tpi, tube	TechBELT	310	Pro Compound	29,90 €
P7™ Sport 32-622	21 C	4022000	60 tpi, tube	TechBELT	340	Pro Compound	29,90 €
Cinturato™ *Velo* 26-622	15 C	3370700	60 tpi, tube & TLR	Armour Tech™	300	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 28-622	17 C	3370800	60 tpi, tube & TLR	Armour Tech™	340	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 32-622	19 C	3370900	60 tpi, tube & TLR	Armour Tech™	360	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 35-622	19 C	3371000	60 tpi, tube & TLR	Armour Tech™	410	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 26-622 *Classic*	15 C	4043200	60 tpi, tube & TLR	Armour Tech™	310	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 28-622 *Classic*	17 C	4043300	60 tpi, tube & TLR	Armour Tech™	350	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 28-622 *Reflective*	17 C	4043400	60 tpi, tube & TLR	Armour Tech™	350	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 32-622 *Reflective*	19 C	4043500	60 tpi, tube & TLR	Armour Tech™	370	SmartNET™ Silica	74,90 €
Cinturato™ *Velo* 35-622 *Reflective*	19 C	4043600	60 tpi, tube & TLR	Armour Tech™	420	SmartNET™ Silica	74,90 €
Cinturato™ Road 26-622	15 C	4356800	60 tpi	TechWALL+	300	SmartNET™ Silica	59,90 €
Cinturato™ Road 28-622	17 C	4356700	60 tpi	TechWALL+	330	SmartNET™ Silica	59,90 €
Cinturato™ Road 32-622	19 C	4356600	60 tpi	TechWALL+	350	SmartNET™ Silica	59,90 €
Cinturato™ Road 35-622	19 C	4356500	60 tpi	TechWALL+	370	SmartNET™ Silica	59,90 €

PIRELLI CROSS RANGE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
Cinturato™ CROSS ***H*** 33-622	21 C	3770500	127 tpi, TLR	TechWALL	390	SPEEDGRIP	69,90 €
Cinturato™ CROSS *M* 33-622	21 C	3770600	127 tpi, TLR	TechWALL	400	SPEEDGRIP	69,90 €

PIRELLI GRAVEL RANGE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
Cinturato™ GRAVEL ***RC*** 35-622	23 C	4216500	60 tpi, TLR	TechWALL	510	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RC*** 35-622 *Classic*	23 C	4216400	60 tpi, TLR	TechWALL	510	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RC*** 40-622	23 C	4216200	60 tpi, TLR	TechWALL	540	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RC*** 40-622 *Classic*	23 C	4216000	60 tpi, TLR	TechWALL	540	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RC*** 45-622	23 C	4216300	60 tpi, TLR	TechWALL	590	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RC*** 45-622 *Classic*	23 C	4216100	60 tpi, TLR	TechWALL	590	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***RCX*** 35-622 *Classic*	23 C	4333000	60 tpi, TLR	TechWALL X	480	SPEEDGRIP	74,90 €
Cinturato™ GRAVEL ***RCX*** 40-622	23 C	4309300	60 tpi, TLR	TechWALL X	560	SPEEDGRIP	74,90 €
Cinturato™ GRAVEL ***RCX*** 40-622 *Classic*	23 C	4332800	60 tpi, TLR	TechWALL X	560	SPEEDGRIP	74,90 €
Cinturato™ GRAVEL ***H*** 35-622	21 C	3770900	127 tpi, TLR	TechWALL	435	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 40-622	23 C	3771100	127 tpi, TLR	TechWALL	485	SPEEDGRIP	69,90 €

Classic = TAN Sidewall

Classic = TAN Sidewall

Cinturato™ GRAVEL ***H*** 45-584	23 C	3771300	127 tpi, TLR	TechWALL	525	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 45-622	23 C	3833900	127 tpi, TLR	TechWALL	540	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 35-622 *Classic*	21 C	3770700	127 tpi, TLR	TechWALL	435	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 40-622 *Classic*	23 C	3874500	127 tpi, TLR	TechWALL	505	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 45-584 *Classic*	23 C	3874600	127 tpi, TLR	TechWALL	550	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 45-622 *Classic*	23 C	3832500	127 tpi, TLR	TechWALL	590	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 50-584 *Classic*	23 C	3874400	127 tpi, TLR	TechWALL	640	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL ***H*** 50-622 *Classic*	23 C	3929800	127 tpi, TLR	TechWALL	670	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 35-622	21 C	3771000	127 tpi, TLR	TechWALL	445	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 40-622	23 C	3771200	127 tpi, TLR	TechWALL	510	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 45-584	23 C	3771400	127 tpi, TLR	TechWALL	535	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 45-622	23 C	3834000	127 tpi, TLR	TechWALL	570	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 35-622 *Classic*	21 C	3770800	127 tpi, TLR	TechWALL	460	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 40-622 *Classic*	23 C	3833000	127 tpi, TLR	TechWALL	510	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 45-584 *Classic*	23 C	3833200	127 tpi, TLR	TechWALL	570	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 45-622 *Classic*	23 C	3832600	127 tpi, TLR	TechWALL	630	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 50-584 *Classic*	23 C	3832800	127 tpi, TLR	TechWALL	675	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL *M* 50-622 *Classic*	23 C	3929900	127 tpi, TLR	TechWALL	705	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL **S** 40-622	23 C	4161800	60 tpi, TLR	TechWALL	540	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL **S** 45-622	23 C	4161900	60 tpi, TLR	TechWALL	570	SPEEDGRIP	69,90 €
Cinturato™ GRAVEL **S** 40-622 *Classic*	23 C	4162100	60 tpi, TLR	TechWALL	540	SPEEDGRIP	44,90 €
Cinturato™ GRAVEL **S** 45-622 *Classic*	23 C	4162200	60 tpi, TLR	TechWALL	570	SPEEDGRIP	44,90 €
Cinturato™ GRAVEL **S** 50-622 *Classic*	23 C	4162300	60 tpi, TLR	TechWALL	600	SPEEDGRIP	44,90 €
Cinturato™ All Road 35-622	23 C	4190200	60 tpi, TLR	ProWALL	490	Pro Compound	44,90 €
Cinturato™ All Road 40-622	23 C	4190300	60 tpi, TLR	ProWALL	540	Pro Compound	44,90 €
Cinturato™ All Road 45-622	23 C	4190400	60 tpi, TLR	ProWALL	590	Pro Compound	44,90 €
Cinturato™ All Road 35-622 *Classic*	23 C	4161400	60 tpi, TLR	ProWALL	490	Pro Compound	44,90 €
Cinturato™ All Road 40-622 *Classic*	23 C	4161500	60 tpi, TLR	ProWALL	540	Pro Compound	44,90 €
Cinturato™ All Road 45-622 *Classic*	23 C	4161600	60 tpi, TLR	ProWALL	590	Pro Compound	44,90 €
Cinturato™ Adventure 35-622	23 C	4190800	60 tpi, TLR	ProWALL	500	Pro Compound	44,90 €
Cinturato™ Adventure 40-622	23 C	4161700	60 tpi, TLR	ProWALL	550	Pro Compound	44,90 €
Cinturato™ Adventure 40-622 *Classic*	23 C	4190600	60 tpi, TLR	ProWALL	600	Pro Compound	44,90 €
Cinturato™ Adventure 45-622	23 C	4190900	60 tpi, TLR	ProWALL	550	Pro Compound	44,90 €
Cinturato™ Adventure 45-622 *Classic*	23 C	4190700	60 tpi, TLR	ProWALL	600	Pro Compound	44,90 €

PIRELLI MTB RANGE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
Scorpion™ Race Enduro *M* 27.5 x 2.5	30C / 30SS	4191100	2-ply, 120 tpi, TLR	DualWALL	1380	SmartEVO DH	89,90 €
Scorpion™ Race Enduro *M* 29 x 2.5	30C / 30SS	4191200	2-ply, 120 tpi, TLR	DualWALL	1450	SmartEVO DH	89,90 €
Scorpion™ Race DH *M* 27.5 x 2.5	30C / 30SS	3907200	2-ply, 60 tpi, foldable TLR	DualWALL+	1300	SmartEVO DH	89,90 €
Scorpion™ Race DH *M* 29 x 2.5	30C / 30SS	3907500	2-ply, 60 tpi, foldable TLR	DualWALL+	1400	SmartEVO DH	89,90 €
Scorpion™ Race Enduro **T** 27.5 x 2.5	30C / 30SS	4191300	2-ply, 120 tpi, TLR	DualWALL	1380	SmartEVO DH	89,90 €
Scorpion™ Race Enduro **T** 29 x 2.5	30C / 30SS	4191400	2-ply, 120 tpi, TLR	DualWALL	1450	SmartEVO DH	89,90 €
Scorpion™ Race DH **T** 27.5 x 2.5	30C / 30SS	3907400	2-ply, 60 tpi, foldable TLR	DualWALL+	1300	SmartEVO DH	89,90 €
Scorpion™ Race DH **T** 29 x 2.5	30C / 30SS	3907700	2-ply, 60 tpi, foldable TLR	DualWALL+	1400	SmartEVO DH	89,90 €
Scorpion™ Race Enduro **S** 29 x 2.5	30C / 30SS	4191600	2-ply, 120 tpi, TLR	DualWALL	1450	SmartEVO DH	89,90 €
Scorpion™ Race DH **S** 29 x 2.5	30C / 30SS	3907600	2-ply, 60 tpi, foldable TLR	DualWALL+	1260	SmartEVO DH	89,90 €
Scorpion™ Race DH **Mud** 27.5 x 2.4	30C / 30SS	4191700	2-ply, 60 tpi, foldable TLR	DualWALL +	1310	SmartEVO DH	89,90 €
Scorpion™ Race DH **Mud** 29 x 2.4	30C / 30SS	4191800	2-ply, 60 tpi, foldable TLR	DualWALL +	1360	SmartEVO DH	89,90 €
Scorpion™ Enduro *M* 27.5X2.6 *HardWall*	30 C	4191900	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29X2.4 *ProWall*	30 C	4227700	60 tpi, TLR	ProWALL	950	SmartGRIP Gravity	74,90 €

Classic = TAN Sidewall

Scorpion™ Enduro *M* 29X2.4 *HardWall*	30 C	4192000	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29X2.6 *ProWall*	30 C	4227800	60 tpi, TLR	ProWALL	1040	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29X2.6 *HardWall*	30 C	4192100	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29x2.4 *Classic*	30 C	4355100	60 tpi, TLR	HardWALL	1100	SMARTGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29x2.6 *Classic*	30 C	4355500	60 tpi, TLR	HardWALL	1040	SMARTGRIP Gravity	74,90 €
Scorpion™ Enduro *M* 29x2.4 Gold	30 C	4354800	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *M* 29x2.4 Orange	30 C	4354900	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *M* 29x2.4Turchese	30 C	4355000	60 tpi, TLR	HardWALL	950	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *M* 29x2.6 Gold	30 C	4355200	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *M* 29x2.6 Orange	30 C	4355300	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *M* 29x2.6 Turchese	30 C	4355400	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	79,90 €
Scorpion™ Enduro *R* 27.5X2.4 *ProWall*	30 C	4227500	60 tpi, TLR	ProWALL	835	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 27.5X2.4 *HardWall*	30 C	3771800	60 tpi, TLR	HardWALL	940	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 27.5X2.6 *HardWall*	30 C	3756900	60 tpi, TLR	HardWALL	1090	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 29X2.4 *ProWall*	30 C	4189700	60 tpi, TLR	ProWALL	940	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 29X2.4 *HardWall*	30 C	3945800	60 tpi, TLR	HardWALL	1080	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 29X2.6 *ProWall*	30 C	4189500	60 tpi, TLR	ProWALL	1030	SmartGRIP	74,90 €
Scorpion™ Enduro *R* 29X2.6 *HardWall*	30 C	3833800	60 tpi, TLR	HardWALL	1140	SmartGRIP	74,90 €
Scorpion™ Enduro *S* 27.5X2.4 *ProWall*	30 C	4227400	60 tpi, TLR	ProWALL	900	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 27.5X2.4 *HardWall*	30 C	4189800	60 tpi, TLR	HardWALL	980	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 27.5X2.6 *HardWall*	30 C	4192200	60 tpi, TLR	HardWALL	1100	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.4 *ProWall*	30 C	4227300	60 tpi, TLR	ProWALL	970	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.4 *ProWall Classic*	30 C	4227600	60 tpi, TLR	ProWALL	970	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.4 *HardWall*	30 C	4189900	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.4 *HardWall* Yellow	30 C	4190000	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.4 *HardWall Classic*	30 C	4190100	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.6 *ProWall*	30 C	4189600	60 tpi, TLR	ProWALL	940	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.6 *HardWall*	30 C	4192300	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity	74,90 €
Scorpion™ Enduro *S* 29X2.6 *HardWall Classic*	30 C	4192500	60 tpi, TLR	HardWALL	1080	SmartGRIP Gravity	74,90 €
Scorpion™ E-MTB *M* 27.5X2.6 HyperWALL™	30 C	4192900	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity	79,90 €
Scorpion™ E-MTB *M* 29X2.6 HyperWALL™	30 C	4193000	60 tpi, TLR	HyperWALL™	1270	SmartGRIP Gravity	79,90 €
Scorpion™ E-MTB *M* 29x2.6 *Classic*	30 C	4356000	60 tpi, TLR	HyperWALL™	1270	SmartGRIP Gravity	74,90 €
Scorpion™ E-MTB *M* 29x2.6 Gold	30 C	4355600	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity	84,90 €
Scorpion™ E-MTB *M* 27.5x2.6 Red	30 C	4356000	60 tpi, TLR	HyperWALL™	1100	SmartGRIP Gravity	74,90 €
Scorpion™ E-MTB *M* 29x2.6 Red	30 C	4355700	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity	84,90 €
Scorpion™ E-MTB *M* 27.5x2.6 Gold	30 C	4355900	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity	84,90 €
Scorpion™ E-MTB *M* 27.5x2.6Classic	30 C	4356100	60 tpi, TLR	HyperWALL™	1200	SmartGRIP Gravity	84,90 €
Scorpion™ E-MTB *R* 27.5X2.6 HyperWALL™	30 C	3834600	60 tpi, TLR	HyperWALL™	1230	SmartGRIP	79,90 €
Scorpion™ E-MTB *R* 27.5X2.8 HyperWALL™	35 C	4130600	60 tpi, TLR	HyperWALL™	1250	SmartGRIP	79,90 €
Scorpion™ E-MTB *R* 29X2.6 HyperWALL™	30 C	3873200	60 tpi, TLR	HyperWALL™	1315	SmartGRIP	79,90 €
Scorpion™ E-MTB *S* 27.5X2.6 HyperWALL™	30 C	4194300	60 tpi, TLR	HyperWALL™	1260	SmartGRIP Gravity	79,90 €
Scorpion™ E-MTB *S* 29X2.6 HyperWALL™	30 C	4194400	60 tpi, TLR	HyperWALL™	1330	SmartGRIP Gravity	79,90 €
Scorpion™ Trail *H* 29X2.4 *ProWall*	30 C	3704800	60 tpi, TLR	ProWALL	870	SmartGRIP	69,90 €
Scorpion™ Trail *H* 29X2.6 *ProWall*	30 C	4189300	60 tpi, TLR	ProWALL	900	SmartGRIP	69,90 €
Scorpion™ Trail *M* 29X2.4 *ProWall*	30 C	3704900	60 tpi, TLR	ProWALL	930	SmartGRIP	69,90 €
Scorpion™ Trail *M* 29X2.4 *ProWall* Yellow	30 C	3775300	60 tpi, TLR	ProWALL	930	SmartGRIP	74,90 €
Scorpion™ Trail *M* 29X2.6 *ProWall*	30 C	4189400	60 tpi, TLR	ProWALL	920	SmartGRIP	69,90 €
Scorpion™ Trail *S* 29X2.4 *ProWall*	30 C	4227200	60 tpi, TLR	ProWALL	930	SmartGRIP	69,90 €
Scorpion™ Trail *R* 29X2.4 *ProWall*	30 C	3705100	60 tpi, TLR	ProWALL	930	SmartGRIP	69,90 €
Scorpion™ XC ***RC*** 29X2.2 *LITE*	25 C	3945400	120 tpi, TLR	LITE	610	SmartGRIP	69,90 €
Scorpion™ XC ***RC*** 29X2.2 *LITE* Yellow	25 C	3957500	120 tpi, TLR	LITE	610	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29X2.2 *ProWall*	25 C	3945500	120 tpi, TLR	ProWALL	660	SmartGRIP	69,90 €

Scorpion™ XC ***RC*** 29x2.4 *Classic*	30 C	4354300	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29X2.2 *ProWall* Yellow	25 C	3957600	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29x2.4 *LITE* Yellow	30 C	4022100	120 tpi, TLR	LITE	650	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29x2.4 *ProWall* Yellow	30 C	4022200	120 tpi, TLR	ProWALL	700	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29x2.4 Orange	25 C	4354100	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29x2.4 Gold	25 C	4354000	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***RC*** 29x2.4 Red	25 C	4354200	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***H*** 29X2.2 *LITE*	25 C	3703800	120 tpi, TLR	LITE	610	SmartGRIP	69,90 €
Scorpion™ XC ***H*** 29X2.2 *ProWall*	25 C	3704100	120 tpi, TLR	ProWALL	660	SmartGRIP	69,90 €
Scorpion™ XC ***H*** 29X2.4 *ProWall*	30 C	3704500	120 tpi, TLR	ProWALL	785	SmartGRIP	74,90 €
Scorpion™ XC ***H*** 29X2.2 *ProWall Classic*	25 C	3905600	120 tpi, TLR	ProWALL	660	SmartGRIP	69,90 €
Scorpion™ XC ***H*** 29X2.2 *ProWall* Yellow	25 C	3774900	120 tpi, TLR	ProWALL	660	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 29X2.2 *LITE*	25 C	3703900	120 tpi, TLR	LITE	660	SmartGRIP	69,90 €
Scorpion™ XC ***M*** 29X2.2 *ProWall*	25 C	3704200	120 tpi, TLR	ProWALL	720	SmartGRIP	69,90 €
Scorpion™ XC ***M*** 29X2.4 *ProWall*	30 C	3704600	120 tpi, TLR	ProWALL	825	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 29X2.2 *ProWall Classic*	25 C	3905700	120 tpi, TLR	ProWALL	720	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 29x2.4 *Classic*	30 C	4354700	120 tpi, TLR	ProWALL	825	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 29X2.2 *ProWall* Yellow	25 C	3775100	120 tpi, TLR	ProWALL	720	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 29x2.4 Gold	25 C	4354400	120 tpi, TLR	ProWALL	720	SmartGRIP	74,90 €
Scorpion™ XC ***M*** 629x2.4 Orange	25 C	4354500	120 tpi, TLR	ProWALL	720	SmartGRIP	74,90 €
Scorpion™ XC ***S*** 29X2.2 *LITE*	25 C	3704000	120 tpi, TLR	LITE	680	SmartGRIP	69,90 €
Scorpion™ XC ***S*** 29X2.2 *ProWall*	25 C	3704300	120 tpi, TLR	ProWALL	730	SmartGRIP	69,90 €
Scorpion™ XC ***S*** 29X2.4 *ProWall*	30 C	3704700	120 tpi, TLR	ProWALL	825	SmartGRIP	69,90 €
Scorpion™ XC ***R*** 29X2.2 *ProWall*	25 C	3704400	120 tpi, TLR	ProWALL	730	SmartGRIP	69,90 €
Scorpion™ XC ***R*** 29X2.2 *ProWall Classic*	25 C	3905800	120 tpi, TLR	ProWALL	730	SmartGRIP	69,90 €

DESCRIPTION	IPCODE	BEAD	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
Scorpion™ Sport XC ***M*** 29x2.2	4197600	foldable	1-ply 60 tpi - TLR	ProWall	703	Procompound Endurance	44,90 €
Scorpion™ Sport XC ***M*** 29x2.4	4197700	foldable	1-ply 60 tpi - TLR	ProWall	821	Procompound Endurance	44,90 €
Scorpion™ Sport XC ***H*** 29x2.2	4197400	foldable	1-ply 60 tpi - TLR	ProWall	703	Procompound Endurance	44,90 €
Scorpion™ Sport XC ***H*** 29x2.4	4197500	foldable	1-ply 60 tpi - TLR	ProWall	821	Procompound Endurance	44,90 €

PIRELLI URBAN RANGE

DESCRIPTION	RIM	IPCODE	CASING	TECHNOLOGY	WEIGHT (g)	COMPOUND	SRP
Angel™ ***GT*** Urban 37-622	23 C	4127000	60 tpi, tube	HyperBELT 5mm	840	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 42-622	23 C	4127100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 47-622	25 C	4127200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 52-622	25 C	4127300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 57-584	25 C	4141900	60 tpi, tube	HyperBELT 5mm	1110	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 57-622	25 C	4127400	60 tpi, tube	HyperBELT 5mm	1150	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 62-622	30 C	4142100	60 tpi, tube	HyperBELT 5mm	1300	Pro Compound Urban	39,90 €
Angel™ ***GT*** Urban 62-559	30 C	4170400	60 tpi, tube	HyperBELT 5mm	1170	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 28-622	19 C	4125800	60 tpi, tube	HyperBELT 3mm	480	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 32-622	21 C	4125900	60 tpi, tube	HyperBELT 5mm	720	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 37-622	23 C	4126000	60 tpi, tube	HyperBELT 5mm	840	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 42-622	23 C	4126100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 47-622	25 C	4126200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 52-622	25 C	4126300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban	34,90 €
Angel™ ***DT*** Urban 57-406	25 C	4170200	60 tpi, tube	HyperBELT 5mm	850	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 57-507	25 C	4170300	60 tpi, tube	HyperBELT 5mm	1020	Pro Compound Urban	39,90 €
Angel™ ***DT*** Urban 57-584	25 C	4126400	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban	39,90 €

Angel™ ***XT*** Urban 32-622	21 C	4127900	60 tpi, tube	HyperBELT 5mm	720	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 37-622	23 C	4128000	60 tpi, tube	HyperBELT 5mm	810	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 42-622	23 C	4128100	60 tpi, tube	HyperBELT 5mm	895	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 47-622	25 C	4128200	60 tpi, tube	HyperBELT 5mm	1025	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 52-622	25 C	4128300	60 tpi, tube	HyperBELT 5mm	1100	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 57-622	25 C	4128400	60 tpi, tube	HyperBELT 5mm	1150	Pro Compound Urban	39,90 €
Angel™ ***XT*** Urban 62-622	30 C	4142200	60 tpi, tube	HyperBELT 5mm	1295	Pro Compound Urban	39,90 €

SMARTUBE

MODEL	SIZE	IPCODE	WEIGHT (g)	VALVE TYPE	VALVE COLOR	MATERIAL	COMPATIBILITY	SRP
P ZERO™ SMARTUBE	700x23/32c - 42mm valve	4229500	35	Presta	Black	TPU	Disc and rim brakes	€29,90
P ZERO™ SMARTUBE	700x23/32c - 60mm valve	4094300	35	Presta	Black	TPU	Disc and rim brakes	€29,90
P ZERO™ SMARTUBE	700x23/32c - 80mm valve	4153300	35	Presta	Black	TPU	Disc and rim brakes	€34,90
CINTURATO™ SMARTUBE	700x28/35c - 60mm valve	4094400	70	Presta	Black	TPU, reinforced	Disc and rim brakes	€29,90
CINTURATO™ SMARTUBE	700x33/45c - 60mm valve	4094500	49	Presta	Black	TPU	Disc and rim brakes	€29,90
CINTURATO™ SMARTUBE	650x40/50c - 60mm valve	4094600	45	Presta	Black	TPU	Disc and rim brakes	€29,90
CINTURATO™ SMARTUBE	700x35/45c - 60mm valve	4149900	110	Presta	Black	TPU, reinforced	Disc and rim brakes	€29,90
SCORPION™ SMARTUBE	1.8/2.2x29" - 42mm valve	4094000	75	Presta	Black	TPU	Disc brakes	€29,90
SCORPION™ SMARTUBE	2.2/2.6x29" - 42mm valve	4094100	100	Presta	Black	TPU	Disc brakes	€29,90
SCORPION™ SMARTUBE	2.2/2.6x27,5" - 42mm valve	4094200	95	Presta	Black	TPU	Disc brakes	€29,90

MODEL	IPCODE	WEIGHT (g)	MATERIAL	COMPATIBILITY	SRP
SmarTUBE Patch KIT	9393700	40	TPU	TPU Tubes	€5,99

ROADTUBE

MODEL	SIZE	IPCODE	VALVE TYPE	WEIGHT (g)	MATERIAL	COMPATIBILITY	SRP
RoadTUBE	700x23/30c - 48mm valve	3702500	Presta, RVC - Black	85	Butyl	Disc and rim brakes	€9,90
RoadTUBE	700x23/30c - 60mm valve	3702600	Presta, RVC - Black	85	Butyl	Disc and rim brakes	€9,90
RoadTUBE	23/30-622 - 80mm valve	4221400	Presta, RVC - Black	85	Butyl	Disc and rim brakes	€12,90

SPORTUBE

MODEL	SIZE	IPCODE	VALVE TYPE	WEIGHT (g)	MATERIAL	COMPATIBILITY	SRP
SporTUBE	700x23/30c - 48mm valve	4099200	Presta - Silver	120	Butyl	Disc and rim brakes	€6,90
SporTUBE	700x23/30c - 60mm valve	4221500	Presta - Silver	120	Butyl	Disc and rim brakes	€7,90
SporTUBE	700x32/40c - 48mm valve	3702700	Presta - Silver	150	Butyl	Disc and rim brakes	€6,90
SporTUBE	700x42/50c - 48mm valve	3702900	Presta - Silver	160	Butyl	Disc and rim brakes	€6,90
SporTUBE	2.1/2.4x27,5" - 48mm valve	3703100	Presta - Silver	200	Butyl	Disc and rim brakes	€7,50
SporTUBE	2.5/2.8x27,5" - 48mm valve	3703300	Presta - Silver	300	Butyl	Disc and rim brakes	€8,90
SporTUBE	2.1/2.3x29" - 48mm valve	3703500	Presta - Silver	210	Butyl	Disc and rim brakes	€7,50
SporTUBE	2.4/2.6x29" - 48mm valve	3703600	Presta - Silver	260	Butyl	Disc and rim brakes	€7,90

SEALANT

NAME	IPCODE	QUANTITY	SRP
P ZERO SEAL 60ml	4093500	60ml - 2oz	7,90 €
Cinturato SEAL 125ml	4093600	125ml - 4,5oz	9,90 €
Scorpion SEAL 240ml	4093700	240ml - 8oz	12,90 €
Scorpion SEAL 1000ml	4093800	1l - 33,8oz	34,90 €
Scorpion SEAL 5000ml	4093900	5l - 175oz	129,90 €


PIRELLI
PROTOTYPE*0
TOTAL CONFIDENCE
PRO CUSH CORE
PRO CUSH CORE

pirellicycling.com

@pirelli_cycling

STRAVA
Pirelli Club

EN